







Kit Ref#	Description	Qty	Part #	Front Shock	Rear Shock	N
ord F150 - 2009-	-16 - 2" Leveling Kit					
F920MS	Ford F150 2" Leveling Kit 2009-16	1	F920MS			
	F150 2" Rear Lift Block and U-Bolt kit	1	BUK2074DF			
Options	Optional F&R Shocks (2) each of desired Se	ries, See n	naster catalog	page 1 88		
ord F150 - 2015-	-16 - 4.5" Lift Front Strut Spacer Lift with Rear Lift Blocks with Hydro	Shocks				
	Ford F150 4.5"-6" 2015-16	1	F15461A			
F1545BKH	Component Box Ford F150 w/Hydro Shocks	1	F1545BH*		Incl.	
	*Additional Shock Options Available by replacing abo	re Compon	ent Shock Box	(1) of desi	red Series	
Shock Options	Ford F150 4.5"-6" 2015-16 w/Nitro Shocks	1	F1545BN		Incl.	
	Ford F150 4.5"-6" 2015-16 w/M95 Monotube Shocks	1	F1545BM		Incl.	
ord F150 - 2015-	-16 - 6" Lift Front Strut Spacer Lift with Rear Lift Blocks with Hydro Sh	ocks				
E4 E 60 D ()	Ford F150 2015-16 4.5"-6"	1	F15461A			
F1560BKH	Component Box Ford F150 6" w/Hydro Shocks	1	F1560BH*			
	*Additional Shock Options Available by replacing abo	re Compon	ent Shock Box	(1) of desi	red Series	
Shock Options	Ford F150 2015-16 6" w/Nitro Shocks	1	F1560BN		Incl.	
	Ford F150 2015-16 6" w/M95 Monotube Shocks	1	F1560BM		Incl.	
ord F150 - 2015-	16 - 6 " LeDuc Fox Coilover Front Lift with Rear Lift Blocks and M95 Se	ries Perfor	mance Monotu	be Rear Sh	nock	
	Ford F150 6" 2015-16 LeDuc Series Coilovers	1	F1562LS			
F1562LSKM New	Ford F150 2015-16 4.5"-6"	1	F15461A			
New	Ford F150 6" 2015-16 w/M95 Monotube Shocks	1	F1562BM			
ord F150 - 2009-	14 - 4.5" Lift with Rear Lift Blocks with Hydro Shocks and Hydro Shoc	ks				
FO/FDI/II	Ford F150 2009-14 4.5"-6"	1	F9461A			
F945BKH	Component Box 2009-14 F150 4" w/Hydro Shock	1	F945BH		Incl.	
ord F150 2009-1	.4 - 6" Lift with Rear Lift Blocks with Hydro Shocks and Hydro Shocks					
FOCODIVII	Component Box 2009-14 F150	1	F9461A			
F960BKH	Component Box 2009-14 F1510 4" w/Hydro Shock	1	F960BH		Incl.	
ord F150 - 2009-	-13 - 6" LeDuc Fox Coilover Front Lift with Rear Lift Blocks and M95 Se	ries Perfor	mance Monotu	ibe Rear Sh	nock	
	Ford F150 2009-13 LeDuc Series Coilover	1	F962LS			
F962LSKM New	Ford F150 2009-13 4.5"-6"		F9461A			
	Ford F150 6" 2009-13 w/M95 Monotube Shocks	1	F962BM		Incl.	L
Notes	32) See Wheel & Tire fitment requirements page 235					











New Bolt in Skyjacker LeDuc Series coilovers are tuned and tested by Curt LeDuc with application specific valving for maximum performance on and off-road. Purchase as kit or coilover box upgrade for your current Skyjacker Suspension.



F1562LSKM

F920MS F1560BKH F430STBH







and longer life along with the added benefit of full-height rear springs.





	Ford F150 Pickup 2004-2	800				
Kit Ref#	Description	Qty	Part#	Front Shock	Rear Shock	Note
Ford F150 2004-0	8 - 2" Metal Leveling Kit					
FF25MS	Ford F150 2.5" Leveling Kit	1	FF25MS			32
Shock Options	Optional Rear Shocks select (2) each of desired S	Series, Se	e master catal	og page 1	88	
2WD Only - Ford F	F150 - 2004-08 - 3" Lift Front Strut Lift with Rear Lift Blocks and shocks	Incl.				
F432STBH	2WD 3" F150 w/Hydro Shocks	1	F432STBH		Incl.	32
F432STBN	2WD 3" F150 w/Nitro Shocks	1	F432STBN		Incl.	32
F432STBM	2WD 3" F150 w/M95 Monotube Shocks	1	F432STBM		Incl.	32
4WD Only - Ford F	-150 - 2004-08 - 3" Lift Front Strut Lift with Rear Lift Blocks and shocks	Incl.				
F430STBH	4WD 3" F150 w/Hydro Shocks	1	F430STBH		Incl.	32
F430STBN	4WD 3" F150 w/Nitro Shocks	1	F430STBN		Incl.	32
F430STBM	4WD 3" F150 w/M95 Monotube Shocks	1	F430STBM		Incl.	32
4WD Only - Ford F	-150 2004-08 - 6" Lift with Front Strut Spacers					
F460BKH	Component Box 2004-08 F150	1	F4461A			32
	Component Box 2004-08 F150 6" w/Hydro Shocks	1	F460BH		Incl.	
4WD Only - Ford F	-150 2004-08 - 6" Lift with Front Strut Spacers					
F460BKM	Component Box 2004-08 F150	1	F4461A			32
	Component Box 2004-08 F150 6" w/M95 Monotube Shocks	1	F460BM		Incl.	
4WD Only - Ford F	-150 2004-08 - 6" Lift with Performance Front Struts					
	Ford F150 6" Component Box 2004-08	1	F4601A-NSP			32
	Ford F150 6" Component Box with Performance Front Struts	1	F4602BST			
	Select Required Shock Option F&R Shoc	ks (2) eac	h of desired Se	eries		
F4601K-NSP	Hydro Series Shock with Red Boot, White	2			H7060	
	Nitro Series Gas Shock with Red Boot, White	2			N8060	
	Black MAX Performance Shock with Black Boot, Black	2			B8560	
	M95 Monotube Performance Shock, Silver	2			M9560	
	Ford F150 Pickup 1997-2	003				
4WD Only - Ford F	=150 1997-03 - 2" Torsion Bar Kit					
F301KE	Ford F150 2" Torsion Bar Key Leveling Kit 1997-03	1	F301KE			
4WD Only - Ford F	150 1997-03 - 6" Lift with Rear Blocks & UBolts					
	Ford F150 6" Component Box	1	F9701A-NSP			23, 32
	Ford F150 6" Component Box with Rear Blocks & UBolts	1	F9701B			23, 32
	Select Required Shock Option F&R Shoc	ks (2) eac	h of desired Se	ries		
F9701K-NSP	Hydro Series Shock with Red Boot, White	2		H7097	H7061	
	Nitro Series Gas Shock with Red Boot, White	2		N8097	N8061	
	Black MAX Performance Shock with Black Boot, Black	2		B8597	B8561	
	M95 Monotube Performance Shock, Silver	2		M9597	M9561	
Notes	23) Rear Replacement Leaf options available, see Ford Master Pages 1 correct driveline 32) See Wheel & Tire fitment requirements page 23. NOTE: Many additional applications and steering stabilizers available.	5			quire Part#	RBF20 to



F4601K-NSP





FF25MS

F460BKH



Skyjacker's Performance Lift Packages for the 2011-2014 Ford Super Duty F-250 include everything you need to go big and go strong. Skyjacker® has engineered a 4, 6 and 8.5 Inch system to replace the OEM radius arm design with High-Impact Heavy Wall DOM Tubular 4-Link Arms with adjustable rod ends. The rod end is press fitted with a steel encased vulcanized rubber bushing that can support the torque of the Diesel engine and still provide years of trouble free service. Due to the mounting positions and the length of the new arms, Skyjacker's 4-Link design has essentially zero caster change throughout the entire suspension travel cycle. This 4-Link up-grade is stronger, eliminates binding during articulation, and truly out performs the OEM radius arm

4" and 6" Systems For The '05-'06 Ford Super Duty Skyjacker® has heard
your call for a bigger, bolder, tougher
performance suspension package for
the '05 Ford Super Duty. Increase the
toughness & durability of your vehicle
with a higher altitude and more attitude.
Get the exact level of performance you

need for your lifestyle... whether it is a

'level fit' or bigger & bolder, Skyjacker®

can meet your needs.

design. Specifically designed for ease of installation, this is a 100% Bolt-On set-up.









	Ford F250/350 Super Duty Pi	ickup 2011	-2016			
Kit Ref#	Description	Qty	Part #	Front Shock	Rear Shock	Note
Ford Gas & Diese	F250/350 - 2011-16 - 2" Metal Leveling Kit					
	Ford F250 2.5" Leveling Kit Metal	1	F52MS			20, 22, 32
	Rear Add A Leafs	1	R3815			
	Select Required Shock Option F&I	R Shocks (2) eac	h of desired S	eries		
F82MK	Hydro Series Shock with Red Boot, White	2		H7091	H7060	
	Nitro Series Gas Shock with Red Boot, White	2		N8091	N8060	
	Black MAX Performance Shock with Black Boot, Black	2		B8591	B8560	
	M95 Monotube Performance Shock, Silver	2		M9591	M9560	
Options	Track Bar Relocation Bracket 2"	1	TB1120			
Ford Diesel F250,	/350 - 2011-16 - 2" Lift Front Coil Spring Lift with Rear Add-a-Leaf					
	2" Front Coils, Diesel	1	F525			20, 22, 32
	Rear Add A Leafs		R3815			20, 22, 32
	Select Required Shock Option F&	R Shocks (2) eac	h of desired S	eries		
F825K	Hydro Series Shock with Red Boot, White	2		H7091	H7060	
	Nitro Series Gas Shock with Red Boot, White	2		N8091	N8060	
	Black MAX Performance Shock with Black Boot, Black	2		B8591	B8560	
	M95 Monotube Performance Shock, Silver	2		M9591	M9560	
Ford Diesel F250	- 2011-16 - 4" Lift with Rear Lift Block					
	4" Front Coils, Diesel	1	F545			21, 22,
	Component Box	1	F11451			23, 24, 25, 32, 34
	Select Required Shock Option F&	R Shocks (2) eac	h of desired S	eries		
F11451K	Hydro Series Shock with Red Boot, White	2		H7092	H7060	
	Nitro Series Gas Shock with Red Boot, White	2		N8092	N8060	
	Black MAX Performance Shock with Black Boot, Black	2		B8592	B8560	
	M95 Monotube Performance Shock, Silver	2		M9592	M9560	







Steering Stabilizers





F11451K F825MK

	Ford F250/350 Super Duty Pick	up 2011	-2016			
Kit Ref#	Description	Qty	Part #	Front Shock	Rear Shock	Note
Ford Diesel F250	- 2011-16 - 6" Lift with Rear Lift Blocks					
	6" Front Coils, Diesel	1	F565			21, 22,
1	Component Box	1	F11651			23, 24,
	Pitman Arm (Required)	1	FA450			25, 32
F11651K	Select Required Shock Option F&R Sh	ocks (2) eac	h of desired S	eries		
LIIOZIK	Hydro Series Shock with Red Boot, White	2		H7093	H7079	
	Nitro Series Gas Shock with Red Boot, White	2		N8093	N8079	
	Black MAX Performance Shock with Black Boot, Black	2		B8593	B8579	
	M95 Monotube Performance Shock, Silver	2		M9593	M9579	
Ford Diesel F250	- 2011-16 - 8.5" Lift with Rear Leaf Springs and 4 Link Conversion					
	8.5" Front Coils, Diesel	1	F585			
	Component Box	1	F11852S			22, 23,
	Rear Leaf Springs	2	FR88S			24, 25, 32, 34
	Front 4 Link conversion All Super Duty 4"-8"	1	F58484LU			<u> </u>
E440E21/6	Pitman Arm (Required)	1	FA450			
F11852KS	Select Required Shock Option F&R Sh	ocks (2) eac	h of desired S	eries		
	Hydro Series Shock with Red Boot, White	2		H7094	H7099	
	Nitro Series Gas Shock with Red Boot, White	2		N8094	N8099	
	Black MAX Performance Shock with Black Boot, Black	2		B8594	B8599	
	M95 Monotube Performance Shock, Silver	2		M9594	M9599	
Ford Diesel F250/	350 - 2008-10 - 2" Lift with Rear Add-a-Leaf		·			
	2" Front Coils, Diesel	1	F525			20 22 25
	Rear Add A Leafs	1	R3815			20, 22, 23
	Select Required Shock Option F&R Sh	ocks (2) eac	h of desired So	eries		
F825K	Hydro Series Shock with Red Boot, White	2		H7091	H7060	
	Nitro Series Gas Shock with Red Boot, White	2		N8091	N8060	
	Black MAX Performance Shock with Black Boot, Black	2		B8591	B8560	
	M95 Monotube Performance Shock, Silver	2		M9591	M9560	
	NOTE: Many additional applications and Steering Stabilizers a	vailable. See	Ford Master F	ages 120		






F11852K

F11651K



	Ford F250/350 Super Duty Picku	p 2011	-2016			
Kit Ref#	Description	Qty	Part #	Front Shock	Rear Shock	Note
Ford Diesel F250 -	- 2008-10 - 4" Lift with Rear Lift Blocks					
	4" Front Coils, Diesel	1	F545			21,22,23,
	Component Box	1	F8451			32, 34
	Select Required Shock Option F&R Shoc	ks (2) eac	h of desired Se	ries		
F8451K	Hydro Series Shock with Red Boot, White	2		H7092	H7060	
	Nitro Series Gas Shock with Red Boot, White	2		N8092	N8060	
	Black MAX Performance Shock with Black Boot, Black	2		B8592	B8560	
	M95 Monotube Performance Shock, Silver	2		M9592	M9560	
Ford Diesel F250 -	2008-10 - 6" Lift with Rear Lift Blocks					
	6" Front Coils, Diesel	1	F565			21, 22,
	Component Box	1	F8651			23, 24, 25, 32, 34
	Select Required Shock Option F&R Shoc	ks (2) eac	h of desired Se	ries		
F8651K	Hydro Series Shock with Red Boot, White	2		H7093	H7079	
	Nitro Series Gas Shock with Red Boot, White	2		N8093	N8079	
	Black MAX Performance Shock with Black Boot, Black	2		B8593	B8579	
	M95 Monotube Performance Shock, Silver	2		M9593	M9579	
Ford Diesel F250 -	2008-10 - 8.5" Lift with Rear Leaf Springs and 4 Link Conversion					
	8.5" Front Coils, Diesel	1	F585			
	Component Box	1	F88525			22, 23,
	Rear Leaf Springs	2	FR885			32, 34
	Front 4 Link conversion All Super Duty 4"-8"	1	F58484LU			
F8852KS	Select Required Shock Option F&R Shoc	ks (2) eac	h of desired Se	ries		
	Hydro Series Shock with Red Boot, White	2		H7094	H7099	
	Nitro Series Gas Shock with Red Boot, White	2		N8094	N8099	
	Black MAX Performance Shock with Black Boot, Black	2		B8594	B8599	
	M95 Monotube Performance Shock, Silver	2		M9594	M9599	
Ford Diesel F250/	350 - 2008-16					
	Pitman Arm	1	FA450			
	Track Bar Relocation Bracket, 08-16, 2" - 2.5"	1	TB1120			
	HD OEM Steering Stabilizer White w/Red Boot	1	7054			
	HD OEM Steering Stabilizer Black MAXw/Black Boot	1	8054			
Options	HD OEM Steering Stabilizer Silver w/Black Boot	1	9054			
	Dual Steering Stabilizer White w/Red Boot	1	7254			
	Dual Steering Stabilizer Black MAXw/Black Boot	1	8254			
	Dual Steering Stabilizer Silver w/Black Boot	1	9254			
	Front 4 Link conversion All Super Duty 4"-8"	1	F58484LU			
Notes	20) Track Bar Required Part # TB1120 21) Optional Radius Arm to 4 Lin Radius Arm to 4 Link Conversion available Part # F58484LU 22) Stainle Replacement Leaf options available, see Ford Master Pages 120 24) Do 7/8 block will sit higher 25) If equipped with OE rear sway bar order #5 requirements page 235 32) See Wheel & Tire fitment requirements page 235 32)	ess Steel Br esigned fo SBE404 Ex age 235 3 4	rake Line Availa r 1 7/8" rear O tended Links 3 4) Requires Pit	able See Pa E block, OI 8 2) See Wh man Arm F	nge XX 23) E equipped v eel & Tire fi	Rear with 3
	NOTE: Many additional applications and steering stabilizers avail	lable. See	Ford Master Pa	ges 120		







Stainless Steel Brake Lines

Steering Stabilizers

FORD															FORD
Outok Kit	KIT	Component Boy	Front Caringo	Book Chrings	V 44 V	Steering Correction			Steering Stabilizers			HYDRO Shocks	NITRO Shocks	BLACK MAX	M95 Shocks Labor
LIFT Quick Kit	NOTES	Component Box		Rear Springs	Leafs	Steering Correction	White		Black		Silver	White	White	Black	Silver
Reference		(Requires 1 Of Each)	Qty Part #	Qty Part #	Louis	(Order 1 Each)						Dual Front Rear	Front Rear	Front Rear	Front Rear Hours
15-16 F-150 PICKUP 15-16 F-150 Pickup 2		Haney Metal Speece (Ever	at Lavalina Vi	\			NOTE: ALL SF	носк	S MUST BE ORDE	ERED	SEPARA	TELY.			
2" F920MS	ND / 4WD KIL	Upper Metal Spacers (From F920MS	Leveling Ki	.)								H7041	N8041	B8541	M9541 4
15-16 F-150 PICKUP	AMP	1 3201010					NOTE: ALL CL	LOCK	S MUST BE ORDE	EDED	SEDADA		110041	Воотт	WOOTT T
STRUT SPACER KIT							NOTE: ALL SF	100K	S MOST BE OKDE	EKED	SEPAKA	HELY.			
15-16 F-150 Pickup 4		Front Strut Spacer Kit													
4.5" F1545BKH		F15461A+F1545BH										Included			8
4.5" F1545BKN		F15461A+F1545BN												d	
4.5" F1545BKB		F15461A+F1545BB													d 8
4.5" F1545BKM KIT NOTES: 20 Inch Diamet	or or Largar Whool must be Ll	F15461A+F1545BM													Included 8
15-16 F-150 Pickup 4 6" F1560BKH	ND Kit	Front Strut Spacer Kit F15461A+F1560BH										Included		T	8
6" F1560BKN		F15461A+F1560BN										included			8
6" F1560BKB		F15461A+F1560BB												<u> </u>	d 8
6" F1560BKM		F15461A+F1560BM												1	Included 8
KIT NOTES: 20 Inch Diamet	er or Larger Wheel must be U	sed.													
LEDUC SERIES COIL	-OVER KIT														
15-16 F-150 Pickup 4	ND Kit	Coil-Over Kit													
6" F1562LSKM		F1562LS+F15461A+													Included 8
		F1562BM													
	er or Larger Wheel must be U	sed.											<u> </u>		
09-14 F-150 PICKUP	2WD / 4WD						NOTE: ALL SE	носк	S MUST BE ORDE	ERED :	SEPARA	TELY.			
VALUE KITS 09-14 F-150 Pickup 2	ND / AND Kit	Upper Metal Spacers (From	at Loveling Kit	-\											
2" F920MS	VD / 4VVD KIL	F920MS	Leveling Ki	., 								H7041	N8041	B8541	M9541 4
PERFORMANCE ST	DIIT GEDIEG	1 ozome										111011	110011		1110011
09-13 F-150 Pickup 2		Front Leveling Struts													
1-2.5" F9125ST		F9125ST										H7041	N8041	B8541	M9541 4
09-14 F-150 Pickup 4	ND Kit	Front Strut Spacer Kit											·		
4.5" F945BKH		F9461A+F945BH										Included			8
4.5" F945BKN		F9461A+F945BN													8
4.5" F945BKB		F9461A+F945BB													d 8
4.5" F945BKM		F9461A+F945BM													Included 8
KIT NOTES: 20 Inch Diamet															
09-14 F-150 Pickup 4	ND Kit	Front Strut Spacer Kit								1	_	lo de de d		T	0
6" F960BKH 6" F960BKN		F9461A+F960BH F9461A+F960BN										Included			8 8
6" F960BKB		F9461A+F960BB													d 8
6" F960BKM		F9461A+F960BM													Included 8
	r or Larger Wheel must be Us						<u> </u>								
09-13 F-150 Pickup 4	WD Kit	Adjustable Front Strut Kit													
4-6" F9461K		F9461A+F9461B										H7060	N8060	B8560	M9560 8
KIT NOTES: 20 Inch Diameter	er or Larger Wheel must be Us	ed.													
09-13 F-150 Pickup 4	WD Kit	Adjustable Front Strut Kit													
4-6" F9461PH		Included										Included			8
KIT NOTES: 20 Inch Diamete	er or Larger Wheel must be Us	ed.													
09-13 F-150 Pickup 4	ND System	Adjustable Front Strut Sys	stem												
4-6" F9461KS		F9461A+F9461BS		2 FR904S								H7060	N8060	B8560	M9560 8
KIT NOTES: 20 Inch Diameter		ed.													
LEDUC SERIES COIL															
09-13 F-150 Pickup 4	WD Kit	Coil-Over Kit			-									T	
6" F962LSKM		F962LS+F9461A+ F962BM													Included 8
KIT NOTES: 20 Inch Diamete	r or Larger Wheel must be Us														

-120-

FORD																		FORD
Quick Kit	KIT	Component Box	Front Springs	Book Chrings	Λ d d Λ	Steering Correction				Steerin	g Stabilizer	s	H	HYDRO Shocks	NITRO Shocks	BLACK MAX	M95 Sh	ocks
LIFT Quick Kit	NOTES	•			Leafs			Whi			Black	Silve		White	White	Black	Silv	
Reference		(Requires 1 Of Each)	Qty Part #	Qty Part#		(Order 1 Each)									Front Rear	Front Rear	Front	Rear Hours
04-08 F-150 PICKUP 2 VALUE KITS	WD / 4WD		<u> </u>				NC	IE: AL	L SHOC	KS MUS	ST BE ORL	DERED SEPA	ARAIELY.	•	<u> </u>			
04-08 F-150 Pickup 2W	/D / 4WD Kit	Metal Spacers (Front Leve	ing Kit)															
2.5" FF25MS		FF25MS												H7041	N8041	B854	1 1	л9541 2
KIT NOTES: Installed Above S	trut Assembly.																	
PLATINUM SERIES																		
04-08 F-150 PICKUP 4							NC	TE: AL	L SHOC	KS MUS	T BE ORE	DERED SEPA	ARATELY.					
04-08 F-150 Pickup 4W	/D	Adjustable Front Leveling	Struts													1		
1-3" F423ST		F423ST												Included			-	4
04-08 F-150 Pickup 4W		With Blocks & U-Bolts																
2-3" F430STBH 2-3" F430STBN	G34	F430STBH F430STBN													In alread and			6
2-3" F430STBN 2-3" F430STBB	G34 G34	F430STBN F430STBB													Included	Include		
2-3" F430STBM	G34	F430STBM																
KIT NOTES: G34. Can Use OF																I		
04-08 F-150 Pickup 4W	/D Kit	Front Strut Spacer With Re	ar Blocks & I	I-Rolts														
6" F460BKH		F4461A + F460BH	DIOCKS & C	J-Bolts										Included				
6" F460BKM		F4461A + F460BM															II	ncluded
04-08 F-150 Pickup 4W	/D Kit	Performance Struts with R	ear Add-A-Lea	afs		-												
6" F4601K-NSP		F4601A-NSP+F4602BST												H7060	N8560	B856	0 1	л 19560 7
6" F4601PH		Included												Included				7
04-08 F-150 Pickup 4W	/D System	Performance Struts With R	eplacement R	Rear Springs														
6" F4601KS-NSP	.,	F4601A-NSP+F4602BSST		2 FR44S										H7060	N8060	B856)	<i>I</i> 19560 7
04-08 F-150 PICKUP 2	WD						NC	TE: AL	L SHOO	KS MUS	T BE ORE	DERED SEPA	ARATELY.	:				
04-08 F-150 Pickup 2W		Adjustable Front Leveling	Struts															
2-3" F223ST		F223ST												H7041	N8041	B854	1 1	Л9541 4
04-08 F-150 Pickup 2W	/D Kit	With Blocks & U-Bolts																
3" F432STBH	G34	F432STBH												Included				6
3" F432STBN	G34	F432STBN													Included	 		
3" F432STBB 3" F432STBM	G34 G34	F432STBB F432STBM														 		
		r Blocks, U-Bolts, & Hydro Shocks. For	Nitro Shocks Char	ago 'H' to 'N'													-	iciuded 6
& for Monotube Shocks Chang		Blocks, O-Boils, & Hydro Shocks. For	INITIO SHOCKS CHAI	ilge i to iv														
97-03 F-150 PICKUP 4	WD						NC	TE: AL	I SHUC	KS MIIS	T RE OPI	DERED SEPA	ADATELV	,				
97-03 F-150 4WD (Tors		Torsion Keys (Front Leveli	ng Kit)				NC	IL. AL	L 31100	NO MOC	OI DE OIL	JERED SEF	ANAILLI.	•				
2" F301KE	,	F301KE												H7059	N8059	B855	9 1	л ₉₅₅₉ 2
97-03 F-150 Pickup 4W	/D Kit	Class I with Blocks & U-Bo	Its (Without S	Skid Plate)														
6" F9701K-NSP	G29	F9701A-NSP+F9701B		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					7297	G)	8297	(G)	9297 ^(G) H	H7097 H7061	N8097 N8061	B8597 B856	1 M9597 I	ля держи и пред также и пред т
6" F9701PH	G29	Included												Included Included				7
KIT NOTES: (No Skid Plate). O Needed. Part # RBF20.	G29. Regular Cab, Short Bed	d Models, are Equipped with a Factory	Tapered 2" Block. F	For Correct Drivel	ine Angle,	a Flat 2" Block will be	G. [ual Steeri	ng Stabiliz	er can Only	be Used with	Skyjacker® 6" Lift.						
97-03 F-150 Pickup 4W	/D System	Class I with Replacement F	Rear Springs ((Without Skid	d Plate)	,												
6" F9701KS-NSP	G29	F9701A-NSP+F9701BS		2 FR15S					7297	3)	8297	(G)	9297 ^(G)	H7097 H7061	N8097 N8061	B8597 B856	1 M9597 I	л ₉₅₆₁ 7
KIT NOTES: (No Skid Plate). On Needed. Part # RBF20.	G29. Regular Cab, Short Bed	d Models, are Equipped with a Factory	Tapered 2" Block. F	For Correct Drivel	ine Angle,	a Flat 2" Block will be	G. [ual Steeri	ng Stabiliz	er can Only	be Used with	Skyjacker® 6" Lift.						
80-96 F-150 PICKUP 4	WD						_ NC	TE: AL	L SHO	KS MUS	T BE ORD	DERED SEPA	ARATELY.					
80-96 F-150 Pickup 4W	/D Kit	Standard Brackets with Blo		s &/or Add-A														
1.5-2" 182K	G1, G18		1 182		R3120				10 7240		8140 8240				N8052 N8060			
4" 184PK	G8, G18, G28	184P	1 184			FA400			7240		8140 8240				N8054 N8060			
6" 186PK 8" 188PK-A	G8, G18, G28 G8, G18, G28	186P 188C+188P	1 186 1 188		Included	FA400 Included			10 7240 10 7240		8140 8240 8140 8240				N8055 N8060 N8055 N8079			
		equired (See Ford Accessories Section)		ing Models Only				/ 14	1240		0140 8240	914	0 9240 F	11/055 11/0/9	INOUSS INOU/9	COOO BOO/	I CCCGINI C	13019 1
Lines. G28. If Vehicle is Equipp	ped with a Front Sway Bar. L	equired (See Ford Accessories Section, Lowering Brackets must be Ordered. Se	ee Ford Accessorie	es Section.	J 10. 566	r age 219-220 for Brake												

-122-

	$\overline{}$	_	
	-		
	_		

		Quick Kit	KIT	Component Poy	Eron	t Caringo	Door Caringo	V 44 V	Steering Correction			Steeri	ng Stabilizers			ŀ	IYDRO	Shocks	NITRO	Shocks	BLACK	XAM	M95 Sh	nocks	Lobor
L	_IFT	Quick Kit	NOTES	Component Box	FIOII	t oprings	Real Spilligs		Steering Correction	W	hite		Black		Silver		Wh	ite	Wh	ite	Bla	ck	Silv	er	Labor
		Reference	NOTES	(Requires 1 Of Each)	Qty	Part #	Qty Part #	Leats	(Order 1 Each)	OEM Si	ngle C	Dual OEM	Single Dual	OEM	Single	Dual	Front	Rear	Front	Rear	Front	Rear	Front	Rear	Hours
8	30-96 F	-150 Pickup 4V	VD System	Standard Brackets with Re	place	ment Re	ear Springs																		
	4"	184PKS	G8, G10, G18, G28	184PS	1	184	2 FR54S		FA400	7	140 7	240	8140 8240		9140	9240	17054	H7060	N8054	N8060	B8554	B8560 I	M9554	M9560	6
	6"	186PKS	G8, G18, G28	186PS	1	186	2 FR54S		FA400	7	140 7	240	8140 8240		9140	9240	H7055	H7060	N8055	N8060	B8555	B8560 I	M9555 I	M9560	6
	8"	188PKS-A	G8, G18, G28	188C+188PS	1	188	2 FR56S		Included	7	140 7	240	8140 8240		9140	9240	17055	H7079	N8055	N8079	B8555	B8579 I	M9555	M9579	7

KIT NOTES: G8. Power Steering Models Only. G10. The Factory Block is Removed. G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

80-96 F-150 Pickup 4	ND Kit	Class II Brackets & Radi	ius Arms with Block	s & U-Bolts								
6" 286PK-A	G8, G18, G28	286P+RA150	1 186	Included		7140 7240	8140 8240	9140 9240 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 8				
KIT NOTEO OO D	WITNOTED OO D OL M. I. O. I. OAO OO D											

KIT NOTES: G8. Power Steering Models Only. G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

80	-96 F-150 Pickup 4\	VD System	Class II Brackets & Radius	Arms	with Re	eplacement Rear Sp	rings										
4	1" 284PKS-A	G8, G10, G18, G28	284PS+RA150	1	184	2 FR54S	Included	7	7140 7240	8140 8240	9140	9240	H7054 H7060	N8054 N8060	B8554 B8560	M9554 M9560	8
(8" 286PKS-A	G8, G18, G28	286PS+RA150	1	186	2 FR54S	Included	7	7140 7240	8140 8240	9140	9240	H7055 H7060	N8055 N8060	B8555 B8560	M9555 M9560	8

KIT NOTES: G8. Power Steering Models Only. G10. The Factory Block is Removed. G18. See Page 219-220 for Brake Lines.

G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Odered. See Ford Accessories Section.

80	-96 F-150 PICKUP 2	2WD							NO	TE: ALI	. SHOCKS N	NUST BE OR	ORDERED SEPARATELY.
80	-96 F-150 Pickup 2V	VD Kit	Standard Brackets with Bl	ocks 8	U-Bolt	s &/or Add-/	A-Leafs						
1.5	5-2" 182P2K	G1, G18		1	182		R225			714	7240	8140 824	8240 9140 9240 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4
8	3" 188P2K-A	G8, G18, G28	188C+188P2	1	188		Included	Included		714	7240	8140 824	8240 9140 9240 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 7
						-							

KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). G8. Power Steering Models Only.

G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

66-	-79 F-150 PICKUP	4WD						NOTE: AL	L SHOCKS	MUST BE ORD	ERED SEPAR	RATELY.				
77-	-79 F-150 Pickup 4	WD Kit	With Blocks & U-Bolts &/or	Add	-A-Leafs											
1.5	5-2" 172PK	G11, G18		1	172	R3120		7030	7210 8	030 9210	8030	9210 H7054 H7055	N8054 N8055	B8554 B8555	M9554 M9555	4
4	174PK	G4, G13, G18		1	174	R3120	FA300	7030	7210 8	030 9210	8030	9210 H7055 H7056	N8055 N8056	B8555 B8556	M9555 M9556	6
6	5" 176PK	G4, G15, G18, G20	176P	1	176		FA300	7030	7210 8	030 9210	8030	9210 H7056 H7059	N8056 N8059	B8556 B8559	M9556 M9559	6
9)" 179PK	G4, G17, G18, G20	179P	1	179	R3120	FA500	7030	7210 8	030 9210	8030	9210 H7059 H7061	N8059 N8061	B8559 B8561	M9559 M9561	8

KIT NOTES: G4. Pitman Arm Only Fits 76-79 Models with Power Steering. 76-77 Models must Change Drag Link & Tie Rod Assembly to "T" Style. Order # FDL70 & # TRA70. G11. Caster Correction Required: Use # CB400 (# CB477 on 77 Models). G13. Caster Correction Required; Use # RAB27 or # CB700 (# CB777 on 77 Models). For Best Correction, Use RAB27 & CB200 (CB277 on 77 Models). G15. Caster Correction Required; Use # RAB47 or # CB700 (# CB777 for 77 Models). For Best Correction, Use RAB47 & CB200 (# CB277 for 77 Models). G17. Caster Correction Required; Use Both # RAB47 & # CB400 (# CB477 for 77 Models). G18. See Page 219-220 for Brake Lines. G20. Requires Brake Lines # FBL78 + # RBL76.

77-79	F-150 Pickup 4	WD System	With Replacement Rear S	prings	S						
4"	174PKS	G4, G13, G18	174PS	1	174	2 FR52S	FA300	7030	7210 8030	7210 9030	9210 H7055 H7056 N8055 N8056 B8555 B8556 M9555 M9556 6
6"	176PKS	G4, G15, G18, G20	176PS	1	176	2 FR54S	FA300	7030	7210 8030	7210 9030	9210 H7056 H7059 N8056 N8059 B8556 B8559 M9556 M9559 6
g"	179PKS	G4 G9 G17 G18 G20	179PS	1	179	2 FR56S	FA500	7030	7210 8030	7210 9030	9210 H7059 H7061 N8059 N8061 R8559 R8561 M9559 M9561 8

KIT NOTES: G4. Pitman Arm Only Fits 76-79 Models with Power Steering. 76-77 Models Must Change Drag Link & Tie Rod Assembly to "T" Style. Order # FDL70 & on 77 Models). For Best Correction, Use RAB27 & CB200 (CB277 on 77 Models). G9. This Lift also Includes 2" Blocks. G13. Caster Correction Required; Use # RAB27 or # CB700 (# CB777 on 77 Models). For Best Correction, Use RAB27 & CB200 (CB277 on 77 Models). G15. Caster Correction Required; Use # RAB47 or # CB700 (# CB777 for 77 Models). For Best Correction, Use RAB47 & CB200 (# CB277 for 77 Models). G17. Caster Correction Required; Use Both # RAB47 & # CB400 (# CB477 for 77 Models). G18. See Page 219-220 for Brake Lines. G20. Requires Brake Lines # FBL78 + # RBL76.

73-7	76 F-150 Pi	ickup 4W	D Kit	With Blocks & U-Bolts &/o	r Add	I-A-Leafs																
1.5-	·2" 172F	PK	G1, G18		1	172	R3120		7030	7110	7240	8030 81	10 82	40 9030	9110	9240	H7023 H7056	N8023 N8056	B8523	B8556	M9523 M9556	4
4'	174F	PK	G4, G18, G21		1	174	R3120	FA300	7030	7110	7240	8030 81	10 82	40 9030	9110	9240	H7023 H7056	N8023 N8056	B8523	B8556	M9523 M9556	6
6'	176F	PK	G4, G15, G18,	176P	1	176		FA300	7030	7110	7240	8030 81	10 82	40 9030	9110	9240	H7058 H7059	N8058 N8059	B8558	B8559	M9558 M9559	6
9'	179F	PK	G4, G17, G18	179P	1	179	R3120	FA500	7030	7110	7240	8030 81	10 82	40 9030	9110	9240	H7060 H7061	N8060 N8061	B8560	B8561	M9560 M9561	8

KIT NOTES: G4. Pitman Arm Only Fits 76-79 Models with Power Steering. 76-77 Models must Change Drag Link & Tie Rod Assembly to "T" Style. Order # FDL70 & # TRA70. G11. Caster Correction Required: Use # CB400. G15. Caster Correction Required; Use # RAB47 or # CB700 (For Best Correction, Use RAB47 & CB200). G17. Caster Correction Required; Use Both # RAB47 & # CB400. G18. See Page 219-220 for Brake Lines. G21. Caster Correction Required; Use # RAB47 or # CB700. (For Best Correction, Use RAB47 & CB2000).

73-76	150 Pickup 4\	ND System	With Replacement Rear Sp	orings	3				
1.5-2"	172PKS	G11, G18	U5WWR	1	172	2 FR	R54S		7030 7110 7240 8030 8110 8240 9030 9110 9240 H7023 H7056 N8023 N8056 B8523 B8556 M9523 M9556 4
4"	174PKS	G4, G18, G21	174PS	1	174	2 FR	R52S	FA300	7030 7110 7240 8030 8110 8240 9030 9110 9240 H7023 H7056 N8023 N8056 B8523 B8556 M9523 M9556 6
6"	176PKS	G4, G15, G18	176PS	1	176	2 FR	R54S	FA300	7030 7110 7240 8030 8110 8240 9030 9110 9240 H7058 H7059 N8058 N8059 B8558 B8559 M9558 M9559 6
9"	179PKS	G4. G9. G17. G18	179PS	1	179	2 FR	R56S	FA500	7030 7110 7240 8030 8110 8240 9030 9110 9240 H7060 H7061 N8060 N8061 B8560 B8561 M9560 M9561 8

KIT NOTES: G4. Pitman Arm Only Fits 76-79 Models with Power Steering. 76-77 Models must Change Drag Link & Tie Rod Assembly to "T" Style. Order # FDL70 & #TRA70. G9. This Lift also Includes 2" Blocks. G10. The Factory Block is Removed. G11. Caster Correction Required: Use # CB400. G15. Caster Correction Required; Use # RAB47 or # CB700 (For Best Correction, Use RAB47 & CB200.) G17. Caster Correction Required; Use Both # RAB47 & # CB400. G18. See Page 219-220 for Brake Lines. G21. Caster Correction Required; Use # RAB27 or # CB700. (For Best Correction, Use RAB27 & CB200).

-124--125-

1	
╛	Labor
ı	Labor

	Quick Kit	KIT	Component Box	Eront Carir	no Boor Chrin	70 Add A	Steering Correction			S	teering S	abilizers				HYDRO S	Shocks N	IITRO S	Shocks	BLACI	KAM	M95 Sho	ocks	Labor
LIFT	Quick Kit	NOTES	•	1	· ·	Loofo	Steering Correction		White		Bla	:k		Silver		Whit	.e	Whi	ite	Bla	ıck	Silve	er '	Labor
	Reference	NOTES	(Requires 1 Of Each)	Qty Part	# Qty Part	# Leafs	(Order 1 Each)	OEM	Single	Dual	DEM Sing	le Dual	OEM	Single	Dual	Front	Rear	Front	Rear	Front	Rear	Front	Rear I	Hours
70-7	F-100 Pickup 4	ND Kit	With Blocks & U-Bolts &/o	r Add-A-Le	afs																			
2"	172EPK	G11, G18		1 17	! 1	R225		7030	7110	7210 8	3030 811	0 8210	9030	9110	9210	H7023 H	17056 N	18023	N8056	B8523	B8556	M9523 N	Л 9556	4
4"	174EPK	G18, G21		1 174	. 1	R225																M9523 N		6
6"	176PK	G15, G18	176P	1 17	;			7030	7110	7210 8	3030 811	0 8210	9030	9110	9210	H7058 H	17059 N	18058	N8059	B8558	B8559	M9558 N	<i>1</i> 9559	6
9"	179PK	G17, G18	179P	1 179	1	R225		7030	7110	7210 8	3030 811	0 8210	9030	9110	9210	H7060 F	17061 N	18060	N8061	B8560	B8561	M9560 N	Л9561 T	8

KIT NOTES: G11. Caster Correction Required: Use # CB400. G15. Caster Correction Required; Use # RAB47 or # CB700 (For Best Correction, Use RAB47 & CB200). G17. Caster Correction Required; Use Both # RAB47 & # CB400. G18. See Page 219-220 for Brake Lines. G21. Caster Correction Required; Use # RAB27 or # CB700. (For Best Correction, Use RAB27 & CB200).

66-69	F-100 Pickup 4	ND Kit	With Blocks & U-Bolts &/or	Add	-A-Leafs	i																	
1.5"-2"	172EPK	G11, G18		1	172		R225		7030	7110	7210	8030	8110	8210	9030	9110	9210	H7058	N8023 N80	058 B8523 E	38558	M9523 M9558	4
4"	174EPK	G18, G21		1	174		R225		7030	7110	7210	8030	8110	8210	9030	9110	9210	H7058	N8023 N80	058 B8523 E	38558	M9523 M9558	6
6"	176PK	G15, G18	176P	1	176				7030	7110	7210	8030	8110	8210	9030	9110	9210	H7041	N8058 N80	041 B8558 E	38541	M9558 M9541	6
9"	179PK	G17, G18	179P	1	179		R225		7030	7110	7210	8030	8110	8210	9030	9110	9210	H7060	N8060 N80	060 B8560 B	38560	M9560 M9560	8

KIT NOTES: G11. Caster Correction Required: Use # CB400. G15. Caster Correction Required; Use # RAB47 or # CB700 (For Best Correction, Use RAB47 & CB200). G17. Caster Correction Required; Use Both # RAB47 & # CB400. G18. See Page 219-220 for Brake Lines. G21. Caster Correction Required; Use # RAB27 or # CB700. (For Best Correction, Use RAB27 & CB200).

8	30-96 BRONCO 4WD							NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.
8	80-96 Bronco 4WD Ki	t	With Blocks & U-Bolts &/c	or Add-	A-Leafs			
	1.5-2" 182K	G1, G18		1	182	R3120		7140 7240 8140 8240 9140 9240 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4
	4" 184BK	G8, G18, G28	184B	1	184		FA400	7140 7240 8140 8240 9140 9240 H7054 H7058 N8054 N8058 B8554 B8558 M9554 M9558 6
	6" 186BK	G8, G18, G28	186B	1	186		FA400	7140 7240 8140 8240 9140 9240 H7055 H7060 N8055 N8060 B8555 B8060 M9555 M9560 6
	8" 188BK-A	G8, G18	188C+188B	1	188		Included	7140 7240 8140 8240 9140 9240 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 7

KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). G8. Power Steering Models Only. G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

80-96	Bronco 4WD Sy	rstem	With Replacement Rear Spr	ings	;													
1.5-2	182BKS	G1, G18	182BS	1	182	2 FR5	18		7140 72	240 8140	8240	9140	9240	H7052 H7058	N8052 N8058	B8552 B8558 I	M9552 M9558	4
4"	184BKS	G8, G18, G28	184BS	1	184	2 FR5	2S	FA400	7140 72	240 8140	8240	9140	9240	H7054 H7058	N8054 N8058	B8554 B8558 I	M9554 M9558	6
6"	186BKS	G8, G18, G28	186BS	1	186	2 FR5	1S	FA400	7140 72	240 8140	8240	9140	9240	H7055 H7060	N8055 N8060	B8555 B8560 I	M9555 M9560	6
8"	188BKS-A	G8, G18	188C+188BS	1	188	2 FR5	SS	Included	7140 72	240 8140	8240	9140	9240	H7055 H7060	N8055 N8060	B8555 B8560 I	M9555 M9560	7

KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). G8. Power Steering Models Only.

G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

80-96	Bronco 4WD Ki	t	Class II Brackets & Radiu	s Arm	s with Bl	ocks & U-Bo	olts				
6"	286BK-A	G8, G18, G28	286B+RA150	1	186			Included	7140 7240	8140 8240	9140 9240 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 8
KIT NOT	ES: G8 Power Steer	ing Models Only G18 See Pa	age 210-220 for Brake Lines G28 If V	ahicla is	Fauinned w	ith a Front Sway	Rar Loweri	na Brackets must be	·		

Ordered. See Ford Accessories Section.

8	0-96 E	Bronco 4WD Sy	stem	Class II Brackets & Radius	Arms	with Re	placement	Rear Spr	ings		
	4"	284BKS-A	G8, G18, G28	284BS+RA150	1	184	2 FR529		Included	7140 7240 8140 8240 9140 9240 H7054 H7058 N8054 N8058 N	B8554 B8558 M9554 M9558 8
	6"	286BKS-A	G8, G18, G28	286BS+RA150	1	186	2 FR549		Included	7140 7240 8140 8240 9140 9240 H7055 H7060 N8055 N8060 N	B8555 B8560 M9555 M9560 8

KIT NOTES: G8. Power Steering Models Only. G18. See Page 219-220 for Brake Lines. G28. If Vehicle is Equipped with a Front Sway Bar. Lowering Brackets must be Ordered. See Ford Accessories Section.

	BRONCO 4WD						NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.	
78-79	Bronco 4WD Ki	t	With Blocks & U-Bolts &/or Add	d-A-Leafs				
1 5-2"	172BK	G11, G18		172	R3120		7030 7210 8030 8210 9030 9210 H7055 ^(A) H7023 I	N8055 ^(A) N8023 B8555 ^(A) B8523 M9555 ^(A) M9523
1.5-2	17201	911, 910		172	13120			N8054 ^(B) B8554 ^(B) M9554 ^(B)
1"	174BK	G8, G18, G21	1	174	R300	FA300	7030 7210 8030 8210 9030 9210 H7056 ^(A) H7058 I	N8056 ^(A) N8058 B8556 ^(A) B8558 M9556 ^(A) M9558
	174010	00, 010, 021	'	177	11000	1 7000		N8055 ^(B) B8555 ^(B) M9555 ^(B)
6"	176BK	G8, G15, G18, G20	176B 1	176		FA300	7030 7210 8030 8210 9030 9210 H7059 ^(A) H7058 I	N8059 ^(A) N8058 B8559 ^(A) B8558 M9559 ^(A) M9558
	TAODIC	G0, G10, G10, G20	1705	170		1 7300		N8056 ^(B) B8556 ^(B) M9556 ^(B)
o"	179BK	G8, G17, G18, G20	179B 1	179	R300	FA500	7030 7210 8030 8210 9030 9210 H7061 ^(A) H7060 I	N8061 ^(A) N8060 B8561 ^(A) B8560 M9561 ^(A) M9560
9	17 apr	G0, G17, G10, G20	1190	179	1300	1 7300	H7059 ^(B)	N8059 ^(B) B8559 ^(B) M9559 ^(B)

KIT NOTES: G8. Power Steering Models Only. G11. Caster Correction Required: Use # CB400. G15. Caster Correction Required; Use # RAB47 or # CB700 (For Best Correction, Use RAB47 & CB200). G17. Caster Correction Required; Use Both # RAB47 & # CB400. G18. See Page 219-220 for Brake Lines. G20. Requires Brake Lines # FBL78 + # RBL76. G21. Caster Correction Required; Use # RAB27 or #CB700. (For Best Correction, Use RAB27 & CB200).

(A). Ahead Of Axle. (B). Behind Axle.

-126--127-

FO	RD																		FORD
LIFT	Quick Kit	КІТ	Component Box	Front Springs	Rear Springs	Add-A-	Steering Correction		White		Steerin	ng Stabilizers Black	e:	ver	_	RO Shocks	NITRO Shock	BLACK MAX	M95 Shocks Silver
	Reference	NOTES	(Requires 1 Of Each)	Qty Part #	Qty Part #	Leafs	(Order 1 Each)	0		Dual	OEM	Single Dual		_					
78-79	Bronco 4WD Sy	stem	With Replacement Rear S	prings				7/	030	7210	9030	9240	0020	00	10 11705	C(A) LIZOE	NIONEC(A) NIONE	O DOFFC(A) DOFFC	MOEEC(A) MOEEC
4"	174BKS	G8, G18,G21	174BS	1 174	2 FR52S		FA300					8210			H705	5 ^(B)	N8055 ^(B)	B8555 ^(B)	M9556 ^(A) M9558 M9555 ^(B) 6
6"	176BKS	G8, G15, G18,G20	176BS	1 176	2 FR54S		FA300	70	030	7210	8030	8210	9030	92	10 H705 H705		N8059 ^(A) N805 N8056 ^(B)	8 B8559 ^(A) B8558 B8556 ^(B)	M9559 ^(A) M9558 M9556 ^(B) 6
9"	179BKS	G8, G17, G18, G20	179BS	1 179	2 FR56S		FA500	70)30	7210	8030	8210	9030	92	10 H706 H705		N8061 ^(A) N806 N8059 ^(B)	0 B8561 ^(A) B8560 B8559 ^(B)	M9561 ^(A) M9560 M9559 ^(B) 8
G17. Cas G21. Cas	ster Correction Requister Correction Requi	ired; Use Both # RAB47 & # C red; Use # RAB27 or # CB700	Correction Required; Use # RAB47 (28400. G18. See Page 219-220 for E 0. (For Best Correction, Use RAB27 (Brake Lines. G20. F & CB200).	equires Brake Lin			(A).	Ahead Of Axle	e. (B). Bel	hind Axle	Э.							
	Bronco 4WD Ki 172EBK	t G12, G18	With Blocks & U-Bolts &/o	or Add-A-Leafs		R225		70	030		8030		9030		LIZO.	EE U7022	NIONEE NION	2 00555 00523	3 M9555 M9523 4
3" 5"	172EBK 174EBK	G5, G14, G18	 174EB	1 174		R225	FA307		030		8030		9030						B M9555 M9558 6
KIT NOT	ES: G5. Pitman Arm	Fits Manual & Power Steering.	76-77 Models Must Change Drag Li	ink & Tie Rod Asse	mbly to "T" Style.	Order # FDL6	67 & # TRA60.				0000		3000		11170	50 117 000	7 110000 11000	0 00000 00000	
G18. See	e Page 219-220 for B	rake Lines.	n 76-77 Models). G14. Caster Corre		# RAB40 or # C	CB700 (# CB77	77 on 76-77 Models).												
	Bronco 4WD Sy 174EBKS	vstem G5, G14, G18	With Replacement Rear S		2 FR64S		FA307		030		8030		9030		1170	EE 1170E0	NIOOFE NIOOF	O DOEEE BOEE	M9555 M9558 6
5" 7"	174EBKS	G5, G14, G18 G5, G9, G16, G18	174EBS		2 FR64S		FA507 FA500		030		8030		9030						M9556 M9560 6
KIT NOT G9. This	ES: G5. Pitman Arm Lift also Includes 2" I	Fits Manual & Power Steering.	. 76-77 Models Must Change Drag Li Required; Use # RAB40 or # CB70 B400 (# RAB40 & # CB477 on 76-7	ink & Tie Rod Asse 0 (# CB777 on 76-	mbly to "T" Style.	Order # FDL6	7 & # TRA60.								0				
								NC	TE: ALL	SHOCK	(S MU	ST BE ORDE	RED SE	PARAT	ELY.				
	97-08 EXPEDITION 2WD & 4WD POLYURETHANE VALUE KIT 03-08 Expedition 2WD & 4WD Kit Polyurethane Spacers																		
2"	EX20	& 4VVD KIT	Polyurethane Spacers EX20																6
97-02 E	Expedition 4WD (Torsion Bar Front End)	Torsion Keys (Front Level	ing Kit)															
2"	F301KE		F301KE													H7023	3 N802	3 B8523	3 M9523 2
	EXCURSION 4\ Excursion 4WD	WD (FRONT LEAF SP Kit	RING) Gas V8 or V10 Engine with	n Blocks & U-I	Bolts			NC	TE: ALL S	ВНОСК	(S MU	ST BE ORDE	RED SE	PARAT	ELY.				
4"	FE40MK	G8	F9402M	2 F920S			FA499												M9558 M9534 8
6"	FE60MK	G8, G25	F9602M	2 F940S			FA499	70	7199	7299	8099	8199 8299	9099 91	99 929	99 H70	41 H7077	N8041 N807	7 B8541 B8577	M9541 M9577 8
			105 may be Required on Models Equ																
4"	Excursion 4WD	·	Gas V8 or V10 Engine with				ΓΛ 400	7/	7100	7200	9000	9400 9300	0000 01	00 020	00 1170	E0 LIZ02/	NIONEO NIONO	4 D0550 D053	I MOEEO MOE24 O
6"	FE40MKS FE60MKS	G8 G8, G25	F9402MS F9602MS		2 FR94S 2 FR96S		FA499 Fa499												M9558 M9534 8 M9541 M9577 8
8"	FE80MKS-A	G8	F9802MS		2 FR98S		Included												M9560 M9577 8
KIT NOT		ing Models Only. G25. # SBE	105 may be Required on Models Equ																
00-05	Excursion 4WD	Kit	Diesel Engine with Blocks																
6"	FE65MK ES: G8. Power Steer	G8, G25	F9602M 405 may be Required on Models Equ	2 F945S			FA499	70	99 7199	7299	8099	8199 8299	9099 91	99 92	99 H70	41 H7077	N8041 N807	7 B8541 B8577	M9541 M9577 8
	Excursion 4WD		Diesel Engine with Replace																
6"	FE65MKS	G8, G25	F9602MS		2 FR96S		FA499	7()99 7199	7299	8099	8199 8299	9099 91	99 929	99 H70	41 H7077	N8041 N807	7 B8541 B8577	M9541 M9577 8
	FE85MKS-A	G8	F9802MS		2 FR98S		Included												M9560 M9577 8
KIT NOT	ES: G8. Power Steer	ing Models Only. G25. # SBE4	105 may be Required on Models Equ	ipped with Factory	Rear Sway Bar.														
		UTY 4WD DIESEL EN	IGINE					NC	TE: ALL S	SHOCK	(S MU	ST BE ORDE	RED SE	PARAT	ELY.				
11-16 F 1"	-250 Super Duty 4 F51MS	WD Front Metal Spacer	F51MS					70)54		8054		9054		H70	91 H7060	N8091 N806	0 B8591 B8560	M9591 M9560 2
			With Rear Add-A-Leafs																
2.5"	F82MK	G33	F52MS			R3815		70)54		8054		9054		H70	91 H7060	N8091 N806	0 B8591 B8560	M9591 M9560 4
		k Bar Relocation Bracket may be																	
	-250 Super Duty (F825K	Diesel Engine) 4WD Kit G33	Diesel Engines with Add-A	A-Leafs 1 F525		R3815		70)54		8054		9054		LIZO	01 117060	NISOO4 NISOO	N RRENT DOSE	M9591 M9560 4
Z"		k Bar Relocation Bracket may be	Required. Part # TB1120.	1 F020		173013		//	J34		0004		3034		П/О	91 H/U00	ו פטטאון אסטנ	0 0000 00000	7 100 10 10 10 10 10 10
	-																		

-128-

12

6

7054 Bkt. Incl.

Bkt. Incl.

7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579

7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7094 H7099 N8094 N8099 B8594 B8599 M9594 M9599

Included Included

9054 Bkt. Incl.

KIT NOTES: Upgrade Available for 4 & 6" Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms. G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Otional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Pckage Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Liks. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405, 8.5" Lifts Order Part # SBE406.

F11651

Included

F565

Included

1 F585

R3815

ľ	11-16 F-250 Super Duty (Diesel Engine) 4WD System Diesel Engines with Rear Springs														
	4" F11451KS	G31, G32, G36	F11451S	1	F545	2 FR84S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6							
	6" F11651KS	G31, G32, G36	F11651S	1	F565	2 FR86S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6							

FA450

Included

FA450

KIT NOTES: Upgrade Available for 4 & 6" Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms. G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Otional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Pckage Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Liks. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405, 8.5" Lifts Order Part # SBE406.

CLASS II

8.5"

F11651K

F11651PN

F11852K

G31, G32, G36

G31, G32, G36

11-16 F	11-16 F-250 Super Duty (Diesel Engine) 4WD Class II Kit Diesel Engines with Blocks & U-Bolts														
4"	F114524K	G31, G32, G36	F11451 + F58484LU	1 F545		FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6								
6"	F116524K	G31, G32, G36	F11651 + F58484LU	1 F565		FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6								
11-16 F-	250 Super Duty (Diesel	Engine) 4WD Class II System	Diesel Engines with Rear S	prings	<u> </u>	<u>'</u>									

11 10 1	The Extra Control of the Control of														
4"	F114524KS	G31, G32, G36	F11451S + F58484LU	1	F545	2 FR84S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6							
6"	F116524KS	G31, G32, G36	F11651S + F58484LU	1	F565	2 FR86S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6							
11-16 F	11-16 F-250 Super Duty (Diesel Engine) 4WD Class II Kit Diesel Engines with Blocks & U-Bolts														

11-16 F-250 Super Duty (Diese	11-16 F-250 Super Duty (Diesel Engine) 4WD Class II System Diesel Engines with Rear Springs														
8.5" F11852KS	G31, G32, G36	F11852S + F58484LU	1 F585 2 FR88S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7094 H7099 N8094 N8099 B8594 B8599 M9594 M9599 12										

KIT NOTES: 8.5" Lifts - Front & Rear Driveline Modifications Necessary. Call for Details. * Recommend CV Joint at Transfer Case for some Models. G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE406.

F11852 + F58484LU

11-16 F-250 SUPER DUTY 4WD GAS ENG	INE				NOTE: AL	NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.									
11-16 F-250 Super Duty 4WD Front Metal Spacer															
1" F51MS	F51MS				7054	7254 8054	8254 9054	9254 H7091 H7060 N8091 N8060 B8591 B8560 M9591 M9560 2							
11 16 E 250 Super Duty AWD Metal Spacer Kit	With Poor Add A Loofs														
11-16 F-250 Super Duty 4WD Wetai Spacer Kit	11-16 F-250 Super Duty 4WD Metal Spacer Kit With Rear Add-A-Leafs														
2.5" F82MK G33	F52MS		R3815		7054	7254 8054	8254 9054	9254 H7091 H7060 N8091 N8060 B8591 B8560 M9591 M9560 4							
KIT NOTES: G33. Optional Track Bar Relocation Bracket r	may be Required. Part # TB1120.														

 11-16 F-250 Super Duty (Gas Engine) 4WD Kit
 Gas Engines with Add-A-Leafs

 2" F820K
 G33
 1 F520
 R3815
 7054
 8254 9054
 9254 H7091 H7060 N8091 N8060 B8591 B8560 M9591 M9560 4
 4

KIT NOTES: G33. Optional Track Bar Relocation Bracket may be Required. Part # TB1120.

G31, G32, G36

11-16	11-16 F-250 Super Duty (Gas Engine) 4WD Kit Gas Engines with Blocks & U-Bolts														
4"	F11401K	G31, G32, G36	F11451	1 F540	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6									
6"	F11601K	G31, G32, G36	F11651	1 F560	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6									

KIT NOTES: Upgrade Available for 4 & 6" Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms. G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405, 8.5" Lifts Order Part # SBE406.

11	11-16 F-250 Super Duty (Gas Engine) 4WD System Gas Engines with Rear Springs													
	4"	F11401KS	G31, G32, G36	F11451S	1	F540	2 FR84S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6					
	6"	F11601KS	G31, G32, G36	F11651S	1	F560	2 FR86S	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6					

KIT NOTES: Upgrade Available for 4 & 6" Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms. G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405, 8.5" Lifts Order Part # SBE406.

CLASS II

11-16 F	11-16 F-250 Super Duty (Gas Engine) 4WD Class II Kit Class II Gas Engines with Blocks & U-Bolts														
4"	F114024K	G31, G32, G36	F11451 + F58484LU 1	F540	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 6									
6"	F116024K	G31, G32, G36	F11651 + F58484LU 1	F560	FA450	7054 Bkt. Incl. 7254 8054 Bkt. Incl. 8254 9054 Bkt. Incl. 9254 H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 6									

-130-

FO	RD																FC	RD
	0 1 1 161	IZIT.	0	- 10 i	D 0 1					Steerii	ng Stabilizers	<u> </u>		HYDRO Shocks	NITRO Shocks	BLACK MAX	M95 Shocks	T
LIFT	Quick Kit	KIT NOTES -	Component Box		Rear Springs	Add-A- Leafs	Steering Correction		White		Black	Silver		White	White	Black	Silver	Labo
44.40.5	Reference		(Requires 1 Of Each)	Qty Part #			(Order 1 Each)		OEM Single D	ual OEM	Single Dual	OEM Single	Dual	Front Rear	Front Rear	Front Rear	Front Rear	Hours
11-16 F 4"	F114024KS	as Engine) 4WD System G31, G32, G36	Class II Gas Engines with I F11451S + F58484LU		2 FR84S		FA450		7054 Bkt. Incl. 7	254 8054	Bkt Incl 8254	9054 Bkt Incl	9254	H7092 H7060	N8092 N8060	B8592 B8560	M9592 M956	0 6
6"	F116024KS	G31, G32, G36	F11651S + F58484LU		2 FR86S		FA450		7054 Bkt. Incl. 7	254 8054	Bkt. Incl. 8254	9054 Bkt. Incl	1. 9254	H7093 H7079	N8093 N8079	B8593 B8579	M9592 M950	9 6
11-16 F	•		Class II Gas Engines with							-								
8.5"	F11802K	G31, G32, G36	F11852 + F58484LU	1 F565		R3815	FA450		7054 Bkt. Incl. 7	254 8054	Bkt. Incl. 8254	9054 Bkt. Incl	1. 9254	H7094 H7099	N8094 N8099	B8594 B8599	M9594 M9599	9 12
11-16 F	F-250 Super Duty (G	as Engine) 4WD System	Class II Gas Engines with	Rear Springs					·	<u> </u>								
8.5"	F11802KS	G31, G32, G36	F11852S + F58484LU		2 FR88S		FA450		7054 Bkt. Incl. 7	254 8054	Bkt. Incl. 8254	9054 Bkt. Incl	9254	H7094 H7099	N8094 N8099	B8594 B8599	M9594 M9599	9 12
			Necessary. Call for Details. * Recommod															
			n Optional Factory 3 7/8" Rear Blocks ear Sway Bar must Order Extended R															
	SBE405, 8.5" Lifts Ord		our own, but must order Extended to	tour oway bur En	a Ellino. T Ellio c	raor r are n	OBE 101, O'Ento Oldor											
08-10	F-250 SUPER I	OUTY 4WD DIESEL EN	GINE						NOTE: ALL SH	OCKS MU	ST BE ORD	ERED SEPA	RATEL	Υ.				
		WD Front Metal Spacer																
1"	F51MS		F51MS						7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8560	M9591 M956	0 2
08-10	F-250 Super Duty		With Rear Add-A-Leafs															
2.5"	F82MK	G33	F52MS			R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8560	M9591 M956	0 4
	<u> </u>	rack Bar Relocation Backet may																
			Diesel Engines with Add-A			I = =												
2"	F825K	G33 G33	lus altituda al	1 F525		R3815			7054 7054	8054		9054		H7091 H7060		B8591 B8560	M9591 M956	_
Z"	F825PN	rack Bar Relocation Backet may	Included whe Required Part # TB1120			Included			7054	8054		9054			Included Included			4
	·			a O II Dalta														
4"	F8451K	G31, G32, G36, G37	Diesel Engines with Blocks F8451	1 F545			Fa450		7054 Included 7	254 8054	8254	9054	9254	H7092 H7060	N8092 N8060	B8592 B8560	M9592 M956	0 6
4"	F8451PN	G31, G32, G36, G37	Included	Included			Included		7054 Included 7			9054	9254		Included Included	B0002 B0000	100002 10000	6
6"	F8651K	G31, G32, G36, G37	F8651	1 F565			Fa450		7054 Included 7	254 8054	8254	9054	9254	H7093 H7079	N8093 N8079	B8593 B8579	M9593 M957	
6"		G31, G32, G36, G37	Included	Included			Included		7054 Included 7	254 8054	8254	9054	9254		Included Included			6
Factory	1 7/8" Rear Blocks. N	Models with Optional Factory 3 7	LU. Radius Arm Conversionto Upper 7/8" Rear Blocks will have a Higher Ra er Extended Rear Sway Bar End Link	ake Angle in the R	tear. G32. Lift He	ights will Va	ary Depending on Factory											
		Sterling Rear Axle will Need W Order Part # U9B12R.	lider Rear U-Bolts. 4" Kifts Order Part	t # U9B16R, 4" Sy	stems Order Par	t # U9B12F	R, 6" Kits Order											
	· •																	
08-10 F			Diesel Engines with Rear S		0 50040	_	EA 450	T.	7054 besteded 7	0054	0054	0054	0054	117000 117000	NOOOO NOOOO	DOEGO DOEGO	MAGEOR MAGEOR	0 0
6"	F8451KS F8651KS	G31, G32, G36, G37 G31, G32, G36, G37	F8451S F8651S		2 FR84S 2 FR86S		FA450 FA450		7054 Included 7:			9054		H7092 H7060 H7093 H7079				
	•		LU. Radius Arm Conversionto Upper	· · · · · · · · · · · · · · · · · · ·	•	_	•		1004 Indiaded 1	204 0004	0204	1 3004	3204	[117095 117079]	110033 110073	D0090 D0079	1 N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0
Factory	1 7/8" Rear Blocks. N	Models with Optional Factory 3 7	7/8" Rear Blocks will have a Higher Ra	ake Angle in the R	ear. G32. Lift He	ights will Va	ary Depending on Factory											
			er Extended Rear Sway Bar End Link /ider Rear U-Bolts. 4" Kifts Order Part															
		Order Part # U9B12R.	ndor rodi o Boilo. I Tililo Ordor i dir	<i>: </i>	otomo ordor r di	C# 00B121	t, o Talo Ordor											
08-10	F-250 SUPER	OUTY 4WD GAS ENGIN	VF						NOTE: ALL SH	OCKS MH	ST BE ORD	FRED SEPA	RATEL	Υ				
		WD Front Metal Spacer	\L						NOTE. ALL OF	OOKO MO	OT DE ORD	CICED SEI AI	IVAILL					
1"	F51MS		F51MS						7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8560	M9591 M956	0 2
08-10	F-250 Super Duty	4WD Metal Spacer Kit	With Rear Add-A-Leafs															
2.5"	F82MK	G33	F52MS			R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8560	M9591 M956	0 4
KIT NO	TES: G33. Optional T	rack Bar Relocation Bracket ma	y be Required. Part # TB1120.															
08-10		(Gas Engine) 4WD Kit	Gas Engines with Add-A-L															
2"	F820K	G33		1 F520		R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8560	M9591 M956	0 4
	·	rack Bar Relocation Bracket ma																
			Gas Engines with Blocks &															
4"		G31, G32, G36, G37, G41	F8451	1 F540			FA450		7054 Included 7			9054		H7092 H7060				
6"		G31, G32, G36, G37, G41	F8651	1 F560	rme C21 Lift :- 1	Dosigned	FA450		7054 Included 7	204 8054	8254	9054	9254	H7093 H7079	N80193 N80/9	D8393 B85/9	N957	9 6
KII NO	1 = 3. Upgrade Avallat	ne ioi 4 & 0 Nil. Part # F58484	LU. Radius Arm Conversion to Uper 8	also Apalo in the F	IIIIS. GOT. LIII IS	Designed to	Level Wodels With											

Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Oder Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R. G41. 4, 6, & 8.5" Lifts Require Minor Exhaust Modifications.

-132-

KIT NOTES: Upgrade Available for 4 & 6 " Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms.

G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R.

-134- -135-

FORD

FORD

	Quick Kit KIT Com	Component Box	Ero	nt Caringo	Boo	r Chringo	V 44 V	Steering Correction				Steering	Stabilize	rs			HYDRO Sho	cks NITRO	Shocks	BLACK	MAX	M95 Shocks	Labor		
LIE	T	Quick Kit	NOTES			. •		. •		Steering Correction		White		E	Black		Silver		White	V	/hite	Blac	ck	Silver	Labor
		Reference	NOTES	(Requires 1 Of Each)	Qty	Part #	Qty	Part #	Leafs	(Order 1 Each)	OEM	Single	Dual	OEM S	ingle Dua	I OEM	Single	Dual	Front Re	ar Front	Rear	Front	Rear	Front Rea	r Hours
05-	07 F-2	50 Super Duty (Die	sel Engine) 4WD System	Diesel Engines with Rear S	prin	gs																			
4	."	F5451KS	G31, G32, G36, G37	F5451S	1	F545	2	FR94S		FA450		Included	7254		825	4		9254	H7092 H70	60 N809	2 N8060	B8592	B8560	M9592 M956	60 8
6	3"	F5651KS	G31, G32, G36, G37	F5651S	1	F565	2	FR96S		FA450		Included	7254		825	4		9254	H7093 H70	79 N809:	3 N8079	B8593	B8579	M9593 M95	79 8

KIT NOTES: Upgrade Available for 4 & 6 " Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms.

G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R.

CLASS II

05-07 F-2	05-07 F-250 Super Duty (Diesel Engine) 4WD Class II Kit Diesel Engines with Blocks & U-Bolts													
4"	F54524K	G31, G32, G36, G37	F5451 + F58484LU	1	F545			FA450		l	ncluded 7254	8254	9254	H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 8
6"	F56524K	G31, G32, G36, G37	F5651 + F58484LU	1	F565			FA450		l	ncluded 7254	8254	9254	H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 8
05-07 F-2			Diesel Engines with Rear S	Spring										
4"	F54524KS	G31, G32, G36, G37	F5451S + F58484LU	1	F545	2 FR94S		FA450		I	ncluded 7254	8254	9254	H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 8
6"	F56524KS	G31, G32, G36, G37	F5651S + F58484LU	1	F565	2 FR96S		FA450		I	ncluded 7254	8254	9254	H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 8
05-07 F-2	05-07 F-250 Super Duty (Diesel Engine) 4WD Class II Kit Diesel Engines with Blocks & U-Bolts													
8.5"	F5852K	G31, G32, G38	F5852A + F58484LU	1	F585		R300	FA450		l	ncluded 7254	8254	9254	H7094 H7099 N8094 N8099 B8594 B8599 M9594 M9599 12
05-07 F-2	05-07 F-250 Super Duty (Diesel Engine) 4WD Class II System Diesel Engines with Rear Springs													
8.5"	F5852KS	G31, G32, G38	F5852AS + F58484LU	1	F585	2 FR98S		FA450			ncluded 7254	8254	9254	H7094 H7099 N8094 N8099 B8594 B8599 M9594 M9599 12

KIT NOTES: G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear. G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part # SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R. G38. Model with Rear Sway Bar Must Order Extended Rear Sway Bar End Links. 8.5" Lifts Order Part # SBE406.

05-07 F-250 SUPER DUTY 4WD GAS ENGINE

NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.

1"	F51MS	TOTIC Metal Space	F51MS			H7091 H7060 N8091 N8060 B8591 B8560 M9591 M9560 2
05-07 F	-250 Super Duty	4WD Metal Spacer Kit	Gas Engine with Rear Add-A	A-Leafs		
2.5"	F52MK	G33	F52MS		R3510	H7091 H7060 N8091 N8060 B8591 B8560 M9591 M9560 4

KIT NOTES: G33. Optional Track Bar Relocation Bracket may be Required. Part # TB520.

05-07 F-	250 Super Duty	(Gas Engine) 4WD Kit	Gas Engines with Blocks &	U-E	Bolts												
2-2.5"	F520K			1	F520	R3510							H7091 H706	0 N8091 N8060	B8591 B8560	M9591 M9560	4
4"	F5401K	G31, G32, G36, G37	F5451	1	F540		FA450		Included	7254	8254	9254	H7092 H706	N8092 N8060	B8592 B8560	M9592 M9560	8
6"	F5601K	G31, G32, G36, G37	F5651	1	F560		FA450		Included	7254	8254	9254	H7093 H707	9 N8093 N8079	B8593 B8579	M9593 M9579	8

KIT NOTES: Upgrade Available for 4 & 6 " Kit. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms.

G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear.
G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order
Part # SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems
Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R.

05-07 F-250 Super Duty (Gas Engine) 4WD System Gas Engines with Rear Springs

4" F5401KS	G31, G32, G36, G37	F5451S	1	F540	2 FR94S	FA450	Included 7254	8254	9254 H7092	H7060 N8092 N8060	B8592 B8560 M9592 M9560	8
6" F5601KS	G31, G32, G36, G37	F5651S	1	F560	2 FR96S	FA450	Included 7254	8254	9254 H7093	H7079 N8093 N8079	B8593 B8579 M9593 M9579	8

KIT NOTES: Upgrade Available for 4 & 6 " System. Part # F58484LU. Radius Arm Conversion to Upper & Lower Control Arms.

G31. Lift is Designed to Level Models with Factory 1 7/8" Rear Blocks. Models with Optional Factory 3 7/8" Rear Blocks will have a Higher Rake Angle in the Rear.
G32. Lift Heights will Vary Depending on Factory Package Options. G36. Model with Rear Sway Bar must Order Extended Rear Sway Bar End Links. 4" Lifts Order Part
SBE404, 6" Lifts Order Part # SBE405. G37. Models Equipped with a Sterling Rear Axle will Need Wider Rear U-Bolts. 4" Kifts Order Part # U9B16R, 4" Systems
Order Part # U9B12R, 6" Kits Order Part # U9B18R, 6" Systems Order Part # U9B12R.

CLASS II

05-07 F-	250 Super Duty (Ga	s Engine) 4WD Class II Kit	Gas Engines with Blocks	& Add-A-Lea	fs						
4"	F54024K	G31, G32, G36, G37	F5451 + F58484LU	1 F540		FA450	Includ	ed 7254	8254	9254	H7092 H7060 N8092 N8060 B8592 B8560 M9592 M9560 8
6"	F56024K	G31, G32	F5651 + F58484LU	1 F560		FA450	Includ	ed 7254	8254	9254	H7093 H7079 N8093 N8079 B8593 B8579 M9593 M9579 8

-136-

FO	RD															FORD
	Quick Kit	КІТ	Component Box	Front Springs	Rear Springs	Add-A-	Steering Correction			Steering Stabilizers				NITRO Shocks		l ahor
LIFT	Reference	NOTES	(Requires 1 Of Each)	Qty Part #		Leafs	(Order 1 Each)	OEM	White	Black OEM Single Dual	Silv		White Front Pear	White Front Rear	Black Front Pear	Silver Front Rear Hours
05-07 F-2		Engine) 4WD Class II System	Gas Engines with Rear S		Qty Fait#		(Order i Lacil)	OLINI	Siligle Dual	OLIM Siligle Dual	OLW SING	jie Duai	Hont Real	Tront Real	TTOIL Near	Tront Real Hours
4"	F54024KS	G31, G32, G36, G37	F5451S + F58484LU		2 FR94S		FA450		Included 7254	8254				N8092 N8060 E		
6"		G31, G32, G36, G37	F5651S + F58484LU		2 FR96S		FA450		Included 7254	8254		9254	H7093 H7079	N8093 N8079 E	88593 B8579	M9593 M9579 8
05-07 F- 2 8.5"	250 Super Duty (Ga F5802K	es Engine) 4WD Class II Kit G31, G32, G38	Gas Engines with Blocks F5852A + F58484LU	8 Add-A-Leafs 1 F565	S	R300	FA450		Included 7254	8254		0254	U7004 U7000	NISUOA NISUOO E	29504 B9500	M9594 M9599 12
		Engine) 4WD Class II System				11300	1 A430		Included 7254	0234		9204	117094 117093	110094 110099	00094 00099	NISOS4 NISOSS 12
8.5"	F5802KS	G31, G32, G38	F5852AS + F58484LU		2 FR98S		FA450		Included 7254	8254		9254	H7094 H7099	N8094 N8099 E	38594 B8599	M9594 M9599 12
	ES: G31. Lift is Desi	gned to Level Models with Fac	ctory 1 7/8" Rear Blocks. Models with	Optional Factory 3												
Order Pa Systems	art # SBE404, 6" Lifts	s Order Part # SBE405. G37. I R, 6" Kits Order Part # U9B18	Package Options. G36. Model with F Models Equipped with a Sterling Rea BR, 6" Systems Order Part # U9B12f	ar Axle will Need Wid	ler Rear U-Bolts.	4" Kifts Ord	ler Part # U9B16R, 4"									
	F-250 SUPER I							NOTE	: ALL SHOCK	(S MUST BE ORDE	RED SEP	ARATEL	Y.			
	RIDE® LIFT SY F-250 Super Du		All Engines with Front Ad	ld-Δ-I pafs Kit												
	F93203K	ty 400 Kit	TB9203	Ja-A-Ecuis Kit		F9320		7099	7199 7299	8099 8199 8299	9099 919	99 9299	H7023 H7060	N8023 N8060 E	88523 B8560	M9523 M9560 4
	F-250 Super Du	ity 4WD Kit	All Engines with Replace													
1.5-2"	F9202K		F9202M	2 F920S				7099	7199 7299	8099 8199 8299	9099 919	9299	H7023 H7060	N8023 N8060 E	88523 B8560	M9523 M9560 4
	F-250 Super Du		Gas V8 or V10 Engine wit				= 1100	1=000			2222			1.10011 110000		
6"	F9402MK F9602MK	G7, G8 G7, G8, G25	F9402M F9602M	2 F940S 2 F960S			FA499 FA499			8099 8199 8299 8099 8199 8299						
KIT NOT	ES: G7. 3/99-03 For	d Super Duty - if Equipped wit	h a Factory 1.875" Rear Block, the V		G8. Power Steer	ing Models		1000	7100 7200	0000 0100 0200	3033 313	0200	117000 117000	140000 140000 E	<u> </u>	INIOOOO INIOOOO O
G25. # S	BE405 may be Req	uired on Models Equipped with	n Factory Rear Sway Bar.													
		ty 4WD System	Gas V8 or V10 Engine wit				= 1100	1=000			2222			1.100.11.1100=0.1=		
6"	F9402MKS F9602MKS	G7, G8 G7, G8, G25	F9402MS F9602MS		2 FR94S 2 FR96S		FA499 FA499			8099 8199 8299 8099 8199 8299						
	F9802MKS-A	G7, G8	F9802MS		2 FR98S		Included			8099 8199 8299						
		d Super Duty - if Equipped wit uired on Models Equipped with	h a Factory 1.875" Rear Block, the V n Factory Rear Sway Bar.	/ehicle will Sit Level.	G8. Power Steer	ing Models	Only.									
	F-250 Super Du		Diesel Engine with Block				E4.400	7000	7400 7000	2222 2422 2222	2222 246			N0044 N0070	20544 20570	N.0544 N.0570
6"	F9452MK F9652MK	G7, G8 G7, G8, G25	F9402M F9602M	2 F945S 2 F965S			FA499 FA499			8099 8199 8299 8099 8199 8299						M9541 M9579 8 M9560 M9599 8
KIT NOT	ES: G7. 3/99-03 For	d Super Duty - if Equipped wit	h a Factory 1.875" Rear Block, the V		G8. Power Steer	ing Models		1,000	7100 7200	0000 0100 0200	0000 010	0200	117000 117000	110000 110000 2	,0000 B0000	INCOCC INCOCC
		uired on Models Equipped with														
		ty 4WD System	Diesel Engine with Repla				EA 400	7000	7400 7000	2000 0400 0000	0000 046	0000	117044 117070	N0044 N0070 F	0544 D0570	N0044 N0070
6"	F9452MKS F9652MKS	G7, G8 G7, G8, G25	F9402MS F9602MS	2 F945S	2 FR94S 2 FR96S		FA499 FA499									N8041 N8079 8 N8060 N8099 8
8"	F9852MKS-A	G7, G8	F9802MS	2 F985S	2 FR98S		Included	7099	7199 7299	8099 8199 8299	9099 919	99 9299	H7060 H7099	N8060 N8099 E	88560 B8599	N8060 N8099 8
KIT NOT G25. # S	ES: G7. 3/99-03 For BE405 may be Req	d Super Duty - if Equipped wit uired on Models Equipped with	h a Factory 1.875" Rear Block, the V n Factory Rear Sway Bar.	ehicle will Sit Level.	G8. Power Steer	ing Models	Only.									
			AFTER MARCH '99 - WITI					NOTE	: ALL SHOCK	(S MUST BE ORDE	RED SEP	ARATEL	Υ.			
SOFTI	RIDE® LIFT SY	STEMS														
	99 F-250 Super F93203K	Duty 4WD Kit	All Engines with Front Ac	dd-A-Leafs		F9320		7000	7100 7000	9000 9100 9000	0000 040	00 0000	U7000 U7000	NIONOS NIONOS	00E00 D0E00	MOESS MOESS
2-2.5"		D. 4. ANNID 1611	TB9203	15.10		F9320		7099	7199 7299	8099 8199 8299	9099 918	99 9299	H7023 H7060	N8023 N8060 E	38523 B8560	M9523 M9560 4
1.5-2"	99 F-250 Super F9203K	Duty 4WD Kit	All Engines with Replace F9203M	2 F920S				7099	7199 7299	8099 8199 8299	9099 919	9 9299	H7023 H7060	N8023 N8060 F	88523 B8560	M9523 M9560 4
	99 F-250 Super	Duty 4WD Kit	Gas V8 or V10 Engine wit					1,300		2.00 0200	3230 010	. 0200		,	2223 20000	
4"	F9403MK	G7, G8	F9403M	2 F940S	3.00		FA499	7099	7199 7299	8099 8199 8299	9099 919	9 9299	H7041 H7079	N8041 N8079 E	88541 B8579	M9541 M9579 8
6"	F9603MK	G7, G8, G25	F9603M	2 F960S	00.0		FA499	7099	7199 7299	8099 8199 8299	9099 919	99 9299	H7060 H7099	N8060 N8099 E	88560 B8599	M9560 M9599 8
G25. # S	ES: G7. 3/99-03 For BE405 may be Req	d Super Duty - if Equipped wit uired on Models Equipped with	h a Factory 1.875" Rear Block, the V n Factory Rear Sway Bar.	enicle will Sit Level.	G8. Power Steer	ing Models	Only.									
03/99-9		Duty 4WD System	Gas V8 or V10 Engine wit													
4"	F9403MKS	G7, G8	F9403MS	2 F940S	2 FR94S		FA499			8099 8199 8299						
6" 8"	F9603MKS-A	G7, G8, G25 G7, G8	F9603MS F9803MS		2 FR96S 2 FR98S		FA499 Included									M9560 M9599 8 M9560 M9599 8
KIT NOT	ES: G7. 3/99-03 For	d Super Duty - if Equipped wit	h a Factory 1.875" Rear Block, the V			_		1099	1100 1200	0100 0100 0200	5055 518	0 0200	1111000 111099	110000 110033 L	,5500 00099	1410000 1410000
G25. # S	BE405 may be Req	uired on Models Equipped with	Factory Rear Sway Bar.													

-138-

FOI	RD							FORD FORD
	Quick Kit	KIT	Component Box	Front Springs	Rear Springs	Add-A-	Steering Correction	Steering Stabilizers HYDRO Shocks NITRO Shocks BLACK MAX M95 Shocks Labo
LIFT	Reference	NOTES	(Requires 1 Of Each)	Qty Part #		Leafs	(Order 1 Each)	White Black Silver White White Black Silver OEM Single Dual OEM Single Dual OEM Single Dual Front Rear Front
03/99-9		Duty 4WD Kit	Diesel Engine with Blocks		Qty Tart#		(Order i Edeli)	OLM Chigle Bull Chigle Bull Chigle Bull Front Real Front Real Front Real Front Real Front Real Front
4"	F9453MK	G7, G8	F9403M	2 F945S			FA499	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8
6"	F9653MK	G7, G8, G25	F9603M	2 F965S			FA499	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8
G25. # SI	ES: G7. 3/99-03 For BE405 may be Requ	d Super Duty - If Equipped with uired on Models Equipped with	th a Factory 1.875" Rear Block, the Ve h Factory Rear Sway Bar.	ehicle will Sit Level.	G8. Power Steer	ing Model	s Only.	
03/99-9		Duty 4WD System	Diesel Engine with Replace					
4"	F9453MKS	G7, G8	F9403MS		2 FR94S		FA499	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8
6" 8"	F9653MKS-A	G7, G8, G25 G7, G8	F9603MS F9803MS		2 FR96S 2 FR98S		FA499 Included	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8 7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
KIT NOTE	S: G7. 3/99-03 For	·	th a Factory 1.875" Rear Block, the Ve					7 000 7 100 7 200 0000 0100 0200 0100 0200 111 000 111 000 110 000 100 000 110
				2)				NOTE: ALL QUOCKS MUST BE ORDERED SERADATELY
	-250 LIGHT D 250, Light Dut		ORSION BAR FRONT END Torsion Keys (Front Level					NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.
2.5"	F301KE	y Only 7 Lug	F301KE					H7052 H7056 N8052 N8056 B8552 B8556 M9552 M9556 2
99-02/9	9 F-250 SUPE	R DUTY 4WD (BUILT	BEFORE MARCH '99)					NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.
99-02/9	9 F-250 Super	Duty 4WD Kit	All Engines with Front Ad					
2-2.5"	F9320K		TB920	1 F9320				7099 7199 7299 8099 8199 8299 9099 9199 9299 H7023 H7060 N8023 N8060 B8523 B8560 M9523 M9560 4
		Duty 4WD Kit	Gas V8 or V10 Engine with				FA 400	7000 7400 7000 0000 0400 0000 0400 0000 117044 117070 110044 110070 110074 110070 110074 110070 110074 110070
4" 6"	F940MK F960MK	G8 G8, G25	F940M F960M	2 F940S 2 F960S		-	FA400 FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8 7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8
			E405 may be Required on Models Equ				7,7100	1000 1100 1200 0100 0100 0100 0100 0200 111000 1110000 110000 10
99-02/9	9 F-250 Super	Duty 4WD System	Gas V8 or V10 Engine wit	h Replacemen	t Rear Spring	gs		
4"	F940MKS	G8, G10	F940MS	2 F940S	2 FR96S		FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8
6" 8"	F960MKS-A	G8, G25 G8	F960MS F980MS		2 FR94S 2 FR96S		FA400 Included	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8 7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
			tory Block is Removed. G25. # SBE405					1099 1199 1299 8099 8199 8299 9099 9199 9299 H1000 H1099 N8000 N8099 B8500 B8599 M9500 M9599 8
		Duty 4WD Kit	Diesel Engine with Blocks					
4"	F945MK	G8	F940M	2 F945S			FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8
6"	F965MK	G8, G25	F960M	2 F965S			FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8
			405 may be Required on Models Equ					
99-02/9	9 F-250 Super F945MKS	Duty 4WD System G8, G10	Diesel Engine with Replace F940MS		prings 2 FR96S		FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7041 H7079 N8041 N8079 B8541 B8579 M9541 M9579 8
6"	F965MKS	G8, G25	F960MS		2 FR94S		FA400	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8
	F985MKS-A		F980MS		2 FR96S		Included	7099 7199 7299 8099 8199 8299 9099 9199 9299 H7060 H7099 N8060 N8099 B8560 B8599 M9560 M9599 8
			tory Block is Removed. G25. # SBE405	5 may be Required o	on Models Equippe	ed with Fac	ctory Rear Sway Bar.	
		NDENT FRONT SUSP		ant Add A Lac	of a			NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY.
87-98 F 1.5-2"	-250 (IFS) 4WI F35G	G1, G18	302 or 351 Engine with Fr	ont Add-A-Lea	ars	F35G		7140 7240 8140 8240 9140 9240 H7023 H7058 N8023 N8058 B8523 B8558 M9523 M9558 4
			equired (See Ford Accessories Section	n). G18. See Page	219-220 for Brake			
87-98 F	-250 (IFS) 4WI) Kit	460 or Diesel Engine with	Front Add-A-	Leafs			
1.5-2"	F46D	G1, G18				F46D		7140 7240 8140 8240 9140 9240 H7023 H7058 N8023 N8058 B8523 B8558 M9523 M9558 4
			equired (See Ford Accessories Section			e Lines.		
87-98 F 4"	-250 (IFS) 4WI F840TK	G8, G18, G22, G23	Standard Brackets with B F840T	2 F840S			FA400	7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 6
6"	F860TK	G8, G18, G22, G23	F860T	2 F860S			FA400 FA400	7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 8 7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 8
KIT NOTE	S: G8. Power Stee	ring Models Only, G18, See P	age 219-220 for Brake Lines. G22. M	lav Require End Lin	ks on Models Equ	lipped wit	h Factory Sway Bars.	
			ill Require Front Fitted Leafs. Vehicles			ed Leafs.	See Page 222.	
4.00	-250 (IFS) 4WI		For Rear Towing Package				EA 400	7440 7040 0440 0040 117044 117000 110044 110044 110000 110044 110000 110044 110000 110044 110044 110000 110044 1100
4" 6"	F840TK3 F860TK3	G8, G18, G22, G23 G8, G18, G22, G23	F840TH F860TH	2 F840S 2 F860S			FA400 FA400	7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 6 7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 8
KIT NOTE	S: G8. Power Stee	ring Models Only. G18. See P	age 219-220 for Brake Lines. G22. M	lay Require End Lin	ks on Models Equ	uipped wit	h Factory Sway Bars. See	
		-	equire Front Fitted Leafs. Vehicles with			eafs. See	Page 222.	
	-250 (IFS) 4WI		Standard Brackets with R				E4.400	7440 7040 0440 0040 0440 0040 117044 117044 117044 117044 117044
4" 6"	F840TKS F860TKS	G8, G18, G22, G23 G8, G18, G22, G23	F840TS F860TS		2 FR54S 2 FR56S		FA400 FA400	7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 6 7140 7240 8140 8240 9140 9240 H7041 H7060 N8041 N8060 B8541 B8560 M9541 M9560 8
			age 219-220 for Brake Lines. G22. M					7 170 7270 0140 0240 3140 3240 117041 117000 100041 100000 100341 100300 100341
See Ford	Accessories. G23.	/ehicles with Diesel Engine wi	ill Require Front Fitted Leafs. Vehicles	s with Extra Weight	may Require Fitte	ed Leafs.	See Page 222.	

FORD

-141-

FORD													FORD
Oviole Kit	VIT	Component Poy	Front Conings Book	Conings Add A	Staaring Correction		St	eering Stabilizers		HYDRO Shocks	NITRO Shocks	BLACK MAX	M95 Shocks
LIFT Quick Kit	KIT NOTES	Component Box	Front Springs Rear	Loofo	Steering Correction		White	Black	Silver	White	White	Black	Silver
Reference		(Requires 1 Of Each)	Qty Part # Qty	Part #	(Order 1 Each)			EM Single Dual O			Front Rear	Front Rear	Front Rear Hours
80-86 F-250 (IFS) 4W	NDENT FRONT SUSP	302 or 351 Engine with Fro	nt Add-A-l oafs			NO	E: ALL SHOCKS	MUST BE ORDER	ED SEPARATEL	.Υ.	<u> </u>	<u> </u>	
1.5-2" F35G	G1, G18	302 of 331 Engine with 110	III Add-A-Leais	F35G			7140 7240	8140 8240	9140 9240	H7054 H7058	N8054 N8058 E	38554 B8558	M9554 M9558 4
		quired (See Ford Accessories Section)	. G18. See Page 219-22						0.10				
80-86 F-250 (IFS) 4W	D Kit	460 or Diesel Engine with F	ront Add-A-Leafs										
1.5-2" F46D	G1, G18			F46D			7140 7240	8140 8240	9140 9240	H7054 H7058	N8054 N8058 E	38554 B8558	M9554 M9558 4
KIT NOTES: G1. Oversized (Camber / Caster Shims are Rec	quired (See Ford Accessories Section)	. G18. See Page 219-22	0 for Brake Lines.									
80-86 F-250 (IFS) 4W		Standard Brackets with Blo											
4" F840TK	G8, G18, G22, G23	F840T	2 F840S		FA400 FA400		7140 7240	8140 8240			N8055 N8060 E		
6" F860TK	G8, G18, G22, G23	F860T age 219-220 for Brake Lines. G22. Ma	2 F860S	Andals Equipped with			7140 7240	8140 8240	9140 9240	H7056 H7060	N8056 N8060 E	38555 B8560	M9556 M9560 8
See Ford Accessories. G23.	Vehicles with Diesel Engine wil	Il Require Front Fitted Leafs. Vehicles	with Extra Weight may R	equire Fitted Leafs. S	See Page 222.								
80-86 F-250 (IFS) 4W	D Kit	For Rear Towing Package	with Blocks & U-B	olts									
4" F840TK3	G8, G18, G22, G23	F840TH	2 F840S		FA400		7140 7240	8140 8240			N8055 N8060 E		
6" F860TK3	G8, G18, G22, G23	F860TH	2 F860S		FA400		7140 7240	8140 8240	9140 9240	H7056 H7060	N8056 N8060 E	38555 B8560	M9556 M9560 8
KIT NOTES: G8. Power Stee	ering Models Only. G18. See Pa	age 219-220 for Brake Lines. G22. Ma Il Require Front Fitted Leafs. Vehicles	y Require End Links on M	Models Equipped with	n Factory Sway Bars.								
					See Faye 222.								
80-86 F-250 (IFS) 4W 4" F840TKS	D System G8, G18, G22, G23	Standard Brackets with Re F840TS	placement Rear S 2 F840S 2		FA400		7140 7240	8140 8240	0140 0240	UZOEE LIZOEO	NISORE NISORO	OFFE DOESO	M9555 M9560 6
6" F860TKS	G8, G18, G22, G23	F860TS	2 F860S 2		FA400		7140 7240	8140 8240			N8056 N8060 E		
		age 219-220 for Brake Lines. G22. Ma					7110 7210	0110 0210	0110 0210	117000 117000	110000 110000	<u> </u>	WOODO WOODO O
See Ford Accessories. G23.	Vehicles with Diesel Engine wil	Il Require Front Fitted Leafs. Vehicles	with Extra Weight may R	equire Fitted Leafs. S	See Page 222.								
80-96 F-250 2WD						NO	E: ALL SHOCKS	MUST BE ORDER	ED SEPARATEL	Y.			
80-96 F-250 2WD Kit		With Blocks & U-Bolts											
3" 184F2K	G8, G18	184F2	1 184		FA400		7140 7240	8140 8240			N8054 N8058 E		
5" 186F2K	G8, G18 ering Models Only. G18. See Pa	186F2	1 186		FA400		7140 7240	8140 8240	9140 9240	H7055 H7060	N8055 N8060 E	38555 B8560	M9555 M9560 6
						NO	F- ALL 0U00K0	MUOT DE ODDED		V			
77.5-79 F-250 LOW B	BOY 4WD WITH 3" WIE	With Front Add-A-Leafs				NU	E: ALL SHOCKS	MUST BE ORDER	ED SEPARATEL	Υ.			
1.5-2" F46D	G18	With Front Add-A-Louis		F46D			7110 7220	8110 8220	9110 9220	H7055	N8055 -	B8555	M9555 4
KIT NOTES: G18. Brake Line	es Available.												
77.5-79 F-250 Low Bo	oy 4WD Kit	With Blocks & U-Bolts											
4" F749K	G18	F749	2 F724S		SDL250		7110 7220	8110 8220			N8014 N8056 E		
6" F760K	G18	F760	2 F746S		SDL250 + FA325		7110 7220	8110 8220	9110 9220	H7059	N8014 N8059 E	38514 B8559	M9514 M9559 6
KIT NOTES: G18. See Page													
77.5-79 F-250 Low Bo		With Replacement Rear Sp		===:0	0.00			2442 2222	0.110 0000				
4" F749KS 6" F760KS	G18 G18	F749S F760S	2 F724S 2 2 F746S 2		SDL250 SDL250 + FA325		7110 7220 7110 7220	8110 8220 8110 8220					M9514 M9556 4 M9514 M9559 6
KIT NOTES: G18. See Page		17003	2 17400 2	11000	3DL230 1 1 A323		7110 7220	0110 0220	9110 9220	117039	110014 110039 L	00014 00009	1019314 1019339 0
		UDE DEAD ORBINGO				NO	F- ALL 0U00K0	MUOT DE ODDED		V			
67-77 F-250 High Boy	OY 4WD WITH 2 1/4" W	With Blocks & U-Bolts				NU	E: ALL SHOCKS	MUST BE ORDER	ED SEPARATEL	Υ.			
2" F720K	G18	F7240	2 F724S	R5005			7110 7220	8110 8220	9110 9220	H7058	N8014 N8058 E	88514 B8558	M9514 M9558 4
4" F740K	G18	F7240	2 F746S	R225			7110 7220	8110 8220			N8014 N8058 E		
KIT NOTES: G18. See Page	219-220 for Brake Lines.												
67-77 F-250 High Boy		With Replacement Rear Sp											
2" F720KS	G6, G10, G18	F720S	2 F724S 2				7110 7220	8110 8220			N8014 N8058 E		
4" F740KS	G18	F740S luded 2" Blocks. G10. The Factory Blo	2 F746S 2		Brake Lines		7110 7220	8110 8220	9110 9220	H7058	N8014 N8058 E	88558 B	M9514 M9558 4
			ok is itemoved. G to: See	e i age 2 19-220 101 E	DI ANG LIHES.		FF. ALL OUGGE	MUCT DE OBRES	-D CEDARATE	V			
11-16 F-350 SUPER L	DUTY 4WD DIESEL EN 4WD Front Metal Spacer	NGINE				NO	E: ALL SHOCKS	MUST BE ORDER	EDSEPARATEL	1.			
1" F51MS	The Front Metal Spacel	F51MS				705	54 80	054 90)54	H7091 H7060	N8091 N8060 E	88591 B8560	M9591 M9560 2
11-16 F-350 Super Duty	v 4WD Poly Value Kit	With Rear Add-A-Leafs									, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
2.5" F82MK	G33	F52MS		R3815		705	54 80	054 90)54	H7091 H7060	N8091 N8060 E	88591 B8560	M9591 M9560 4
		ay be Required. Part # TB1120.				,							

-142- -143-

FC	ORD																	FORD
	Quick Kit	КІТ	Component Box	Front Springs	Rear Springs	-A-bbA	Steering Correction				Stabilizers				NITRO Shocks			Shocks
LIFT		NOTES	•			Leafs			White		lack		ilver	White	White	Black		Silver
11-16	Reference F-350 Super Duty (I	Diesel Engine) 4WD Kit	(Requires 1 Of Each) Diesel Engines with Add-A-	Qty Part #	Qty Part #		(Order 1 Each)		OEM Single D	uai OEM S	ingle Duai	UEM S	ingle Duai	Front Rear	Front Rear	Front Re	ar Fron	t Rear Hours
2"	F825K	G33	Diocor Engines With Add A	1 F525		R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B85	60 M959	91 M9560 4
KIT NO	OTES: G33. Optional Tra	ack Bar Relocation Bracket ma	ay be Required. Part # TB1120.															
11-16			Diesel Engines with Blocks															
6"	F11451K3 F11651K3	G32, G36 G32, G36	F11451 + F114H F11651 + F116H	1 F545 1 F565			FA450 FA450		7054 Bkt. Incl. 72 7054 Bkt. Incl. 72	254 8054 Bk	t. Incl. 8254	9054 Bk	t. Incl. 9254	H7092 H7079	N8092 N8079	B8592 B85	79 M959	92 M9579 6
			LU. Radius Arm Conversion to Upper		rme G32 Lift Ha	sighte will \/			7004 BKL INCL. 72	234 6034 DK	t. Incl. 6234	9034 BK	a. inci. 9254	<u> </u>	INOUSS NOUTS	D0093 D00	79 101938	93 1019379 6
Factor	ry Package Options. G36 SBE405, 8.5" Lifts Orde	6. Model with Rear Sway Bar r	must Order Extended Rear Sway Bar E	End Links. 4" Lifts	Order Part # SBE	E404, 6" Lift	ts Order											
	SS II	511 411 # 052 100.																
			Diesel Engines with Blocks													I =		
6"			F11451 + F114H + F58484LU F11651 + F116H + F58484LU				FA450 FA450		7054 Bkt. Incl. 72 7054 Bkt. Incl. 72									
							FA430		7034 BRI. IIICI. 72	10004 DR	t. IIICI. 0204	9034 Dr	ii. IIIdi. 9204	117093 117079	110093 110079	100393 000		93 1019379 0
8.5"			Diesel Engines with Blocks F11852 + F118H + F58484LU			R3815	FA450		7054 72	254 8054	8254	9054	9254	H7094 H7099	N8094 N8099	B8594 B85	99 M959	94 M9599 12
			LU. Radius Arm Conversion to Upper							10004	020-	7 0 0 T	0204	551 111 655	1.10001 140000	120001 200	. 55 111000	
Factor		6. Model with Rear Sway Bar r	must Order Extended Rear Sway Bar E															
	,	UTY 4WD GAS ENGI	NE						NOTE: ALL SH	OCKS MUS	T BE ORDE	ERED SE	PARATEL	······································				
	F-350 Super Duty 4	WD Front Poly Spacer	All Engines															
1"	F51MS		F51MS						7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B85	60 M959	91 M9560 2
			All Engines with Rear Add-	A-Leafs						1						I = ·		
2.5"		G33	F52MS ay be Required. Part # TB1120.			R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B8	60 M959	91 M9560 4
				nofo.														
2"		G33	Gas Engines with Add-A-Le	1 F520		R3815			7054	8054		9054		H7091 H7060	N8091 N8060	B8591 B85	60 M959	91 M9560 4
			ay be Required. Part # TB1120.							000 .					1.1000	12000. 20.		
08-10	F-350 Super Duty	(Gas Engine) 4WD Kit	Gas Engines with Blocks &	U-Bolts														
4"		G31, G32, G36, G41	F8451H	1 F540			FA450		7054 Included 72			9054						92 M9579 6
6"		G31, G32, G36, G41	F8651H	1 F560			FA450		7054 Included 72	254 8054	8254	9054	9254	H7093 H7079	N8093 N8079	B8593 B8	579 M959	93 M9579 6
Factor	ry 1 7/8" Rear Blocks. M	odels with Optional Factory 3	4LU. Radius Arm Conversion to Upper 7/8" Rear Blocks will have a Higher Ra	ake Angle in the Re	ear. G32. Lift Hei	ghts will Var	ry Depending on Factory											
		with Rear Sway Bar must Ord Minor Exhaust Modifications.	der Extended Rear Sway Bar End Link	s. 4" Lifts Order P	art # SBE404, 6"	Lifts Order	Part # SBE405.											
	•			•														
08-10 ∆"		G31, G32, G36, G41	Gas Engines with Rear Spri F8451SH	ings 1 F540	2 FR84S		FA450		7054 Included 72	254 8054	8254	9054	9254	H7092 H7079	N8092 N8079	B8592 B85	79 M950	92 M9579 6
6"		G31, G32, G36, G41	F8651SH		2 FR86S		FA450		7054 Included 72			9054			N8093 N8079			
KIT NO	OTES: Upgrade Availabl	le for 4 & 6 " System. Part # F	58484LU. Radius Arm Conversion to U 7/8" Rear Blocks will have a Higher Ra	Jpper & Lower Co	ntrol Arms. G31. I	_ift is Desig	ned to Level Models with											
Factor Packa	ry 1 7/8" Rear Blocks. M age Options. G36. Model	odels with Optional Factory 3 I with Rear Sway Bar must Ord	7/8" Rear Blocks will have a Higher Ra der Extended Rear Sway Bar End Link	ake Angle in the Ro ss. 4" Lifts Order P	ear. G32. Lift Heio art # SBE404. 6"	ghts will Var Lifts Order	ry Depending on Factory Part # SBE405.											
		Minor Exhaust Modifications.					= 2.00.											
CLA	SS II							·	-									
08-10	F-350 Super Duty		Gas Engines with Blocks &													1		
4"	F84024K3 F86024K3	G31, G32, G36, G37, G41	F8451H + F58484LU F8651H + F58484LU	1 F540 1 F560			FA450 FA450		7054 Included 72 7054 Included 72			9054			N8092 N8079 N8093 N8079			
6"		G31, G32, G41					FA450		7034 Included 72	104 8004	8254	9054	9254	птияз H/U/9	INOU93 INOU/9	D0093 B8	7 9 IVI 958	BO IVIBO/B D
08-10 4"		as Engine) 4WD System G31, G32, G36, G37, G41	Class II Gas Engines with F F8451SH + F58484LU	Rear Springs	2 FR84S	1	FA450		7054 Included 72	254 8054	225/	9054	9254	H7092 H7070	N8092 N8079	B8502 B91	79 14050	02 M0570 6
6"	F86024KS3	G31, G32, G36, G37, G41	F8651SH + F58484LU	1 F560	2 FR86S		FA450		7054 Included 72			9054			N8093 N8079			
08-10			Gas Engines with Blocks &														· ·	
8.5"		G31, G32, G38, G39, G41	F8852H + F58484LU	1 F565		R300	FA450		7054 72	254 8054	8254	9054	9254	H7094 H7099	N8094 N8099	B8594 B85	99 M959	94 M9599 12
			Class II Gas Engines with F						7054	NE 4 225 :		007:			NIGOCA NITTER	D0501 = -		1110500
8.5"		G31, G32, G38, G41			2 FR88S		FA450		7054 72	254 8054	8254	9054	9254	H7094 H7099	N8094 N8099	B8594 B85	99 M959	94 M9599 12
to Leve	el Models with Factory 1	17/8" Rear Blocks. Models wit	Necessary. Call for Details. * Recomm h Optional Factory 3 7/8" Rear Blocks	will have a Higher	Rake Angle in th	e Rear. G3	2. Lift Heights will Vary											
Depen	nding on Factory Packag	ge Options. G36. Model with R	lear Sway Bar must Order Extended Ro Axle will Need Wider Rear U-Bolts. 4"	ear Sway Bar End	l Links. 4" Lifts Or	der Part # \$	SBE404, 6" Lifts Order											
Order	Part # U9B18R, 6" Syst	tems Order Part # U9B12R. G	38. Model with Rear Sway Bar must O	order Extended Re	ar Sway Bar End	Links. 8.5"	Lifts Order											
Part #	SBE406. G39. Models 4, 6, & 8.5" Lifts Require	Equipped with a Sterling Rear Minor Exhaust Modifications.	Axle will Need Wider Rear U-Bolts. 8.5	5" Kits Order Part	# U9B18R, 8.5" \$	Systems Or	rder Part # U9B12R.											
J 11.	, ., <u> </u>																	

-144- -145-

FORD																	FORD
Quick Kit	КІТ	Component Box	Front Springs	Rear Springs A	۱۹۹۰۷	Steering Correction				g Stabilizers				NITRO Shocks	BLACK MAX	M95 Sho	Labor
LIFI	NOTES	<u>-</u>			Leafs	,	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	hite		Black	Silve		White	White	Black	Silve	r
Reference	OUTY 4WD DIESEL EN	(Requires 1 Of Each)	Qty Part #	Qty Part #		(Order 1 Each)				Single Dual T BE ORDE			Front Rear	Front Rear	Front Rear	Front	Rear Hours
	4WD Front Poly Spacer						NOTE: /	LL SHO	CKS MUS	I BE ORDE	KED SEPA	ARAIELY.					
1" F51MS	4VD Front Foly opacer	F51MS					7054		8054		9054	Н	7091 H7060	N8091 N8060	B8591 B8560	M9591 N	9560 2
	(Diesel Engine) 4WD Kit	Diesel Engines with Add-A-	-l oafe														
2.5" F825K	G31, G32, G33	F52MS	Lears	R	R3815		7054		8054		9054	Н	7091 H7060	N8091 N8060	B8591 B8560	M9591 N	9560 4
		Diesel Engines with Blocks	& U-Bolts				1.001		000 :					1.1000.	12000. 20000	1	
4" F8451K3	G31, G32, G36	F8451H	1 F545			FA450		luded 725		8254				N8092 N8079			
6" F8651K3	G31, G32, G36	F8651H	1 F565			FA450	7054 Ir	luded 725	4 8054	8254	9054	9254 H	17093 H7079	N8093 N8079	B8593 B8579	M9593 N	9579 6
Factory 1 7/8" Rear Blocks. M Package Options. G33. Option	Models with Optional Factory 3	4LU. Radius Arm Conversion to Upper 7/8" Rear Blocks will have a Higher Raket may be Required. Part # TB1120. (# SBE405.	ake Angle in the Re	ear. G32. Lift Height	ts will Va	ry Depending on Factory											
08-10 F-350 Super Duty (Di		Diesel Engines with Rear S															
4" F8451KS3	G31, G32, G36	F8451SH		2 FR84S		FA450		cluded 725		8254				N8092 N8079			
6" F8651KS3	G31, G32, G36	F8651SH		2 FR86S		FA450	7054 lr	cluded 725	4 8054	8254	9054	9254 H	17093 H7079	N8093 N8079	B8593 B8579	M9593 N	9579 6
Factory 1 7/8" Rear Blocks. M Package Options. G36. Mode	Models with Optional Factory 3	4LU. Radius Arm Conversion to Upper 7/8" Rear Blocks will have a Higher Ra der Extended Rear Sway Bar End Link	ake Angle in the Re	ear. G32. Lift Height	ts will Va	ry Depending on Factory	ry										
Class II	ol Engine) AMD Class II Vit	Diesel Engines with Blocks	2 II Dolto														
	G31, G32, G36, G37	F8451H + F58484LU	1 F545			FA450	7054 lr	cluded 725	4 8054	8254	9054	9254 H	17092 H7079	N8092 N8079	B8592 B8579	M9592 M	9579 6
	G31, G32, G36, G37	F8651H + F58484LU	1 F565			FA450		cluded 725		8254				N8093 N8079			
						171100	17001		1 000 1	0201	0001	0201		110000 110070	20000 20070	11110000 11	00.0
08-10 F-350 Super Duty (Diesel 4" F84524KS3	G31, G32, G36, G37	Diesel Engines with Rear S F8451SH + F58484LU		2 FR84S		FA450	7054 Ir	cluded 725	1 8051	8254	0054	0254 H	17002 H7070	N8092 N8079	B8502 B8570	M0502 M	0570 6
	G31, G32, G36, G37	F8651SH + F58484LU		2 FR86S		FA450		cluded 725		8254				N8093 N8079			
				2 111000		17(100	1001	120	1 0001	0201	0001	0201 11	17000 117070	110000 110070	B0000 B0070	1110000 11	0070
08-10 F-350 Super Duty (Dies 8.5" F8852K3	G31, G32, G38, G39	Diesel Engines with Blocks F8852H + F58484LU	1 F585	F	R300	FA450	7054	725	4 8054	8254	9054	9254 H	7094 H7099	N8094 N8099	B8594 B8599	M9594 N	9599 12
08-10 F-350 Super Duty (Diese	Engine) 4WD Class II System	Diesel Engines with Rear S	prings														
8.5" F8852KS3	G31, G32, G38	F8852SH + F58484LU		2 FR88S		FA450	7054	725	4 8054	8254	9054	9254 H	7094 H7099	N8094 N8099	B8594 B8599	M9594 N	9599 12
to Level Models with Factory Depending on Factory Packa Part # SBE405. G37. Models Order Part # U9B18R, 6" Sys	1 7/8" Rear Blocks. Models wit ge Options. G36. Model with R Equipped with a Sterling Rear stems Order Part # U9B12R. G	s Necessary. Call for Details. * Recomn th Optional Factory 3 7/8" Rear Blocks Rear Sway Bar must Order Extended R r Axle will Need Wider Rear U-Bolts. 4" 338. Model with Rear Sway Bar must O r Axle will Need Wider Rear U-Bolts. 8.	will have a Higher ear Sway Bar End Kifts Order Part # Order Extended Re	Rake Angle in the F Links. 4" Lifts Orde U9B16R, 4" Syster ar Sway Bar End Lin	Rear. G3 er Part # ms Orde nks. 8.5"	2. Lift Heights will Vary SBE404, 6" Lifts Order Part # U9B12R, 6" Kits Lifts Order	·										
05-07 F-350 SUPER I	OUTY 4WD GAS ENGI	NE					NOTE: A	LL SHO	CKS MUS	T BE ORDE	RED SEPA	ARATELY.					
05-07 F-350 Super Duty	4WD Front Poly Spacer	All Engines															
1" F51MS		F51MS										H	17091 H7060	N8091 N8060	B8591 B8560	M9591 N	9560 2
05-07 F-350 Super Duty	y 4WD Poly Value Kit	All Engines with Rear Add-	A-Leafs														
2.5" F52MK	G33	F52MS ay be Required. Part # TB520.		R	R3510							Н	7091 H7060	N8091 N8060	B8591 B8560	M9591 N	9560 4
		Gas Engines with Blocks &			225401								7004 117000	NIOOOA NIOOOO	D0504 D0500	MOEO4 N	0560 4
2-2.5" F520K	G33	av be Required. Part # TB520.	1 F520	I R	R3510							Н	1/U91 H/U6U	N8091 N8060	D0081 B8000	INIBOBIL IV	9000 4
		, , , , , , , , , , , , , , , , , , , ,	II D. II														
05-07 F-350 Super Duty		Gas Engines with Blocks &				FA450	T.	hudod 705	1	9054		0254	7002 47070	NIONOS NIONZO	D0500 D0570	MOEGO	0570
4" F5401K3 6" F5601K3	G31, G32, G36 G31, G32, G36	F5451H F5651H	1 F540 1 F560			FA450 FA450		luded 725		8254 8254				N8092 N8079 N8093 N8079			
KIT NOTES: Upgrade Availat Factory 1 7/8" Rear Blocks. M Package Options. G36. Mode	ble for 4 & 6 " Kit. Part # F5848 Models with Optional Factory 3 I with Rear Sway Bar must Ord	14LU. Radius Arm Conversion to Upper 7/8" Rear Blocks will have a Higher Ra der Extended Rear Sway Bar End Link	r & Lower Control ake Angle in the Ro ss. 4" Lifts Order P	ear. G32. Lift Height art # SBE404, 6" Lif	ts will Va	to Level Models with ry Depending on Factory		720		0201		3204 11	11030 111013	140030 140073	B0000 B0010	INISOSO IV	3070
		Class II Gas Engines with E											<u> </u>				
8.5" F5802K3	G31, G32, G38	F5852AH + F58484LU	1 F565	F	R300	FA450		725	4	8254		9254 H	17094 H7099	N8094 N8099	B8594 B8599	M9594 N	9599 12
KIT NOTES: G31. Lift is Desi the Rear. G32. Lift Heights wi Order Part # SBE406.	gned to Level Models with Fac III Vary Depending on Factory F	ctory 1 7/8" Rear Blocks. Models with O Package Options. G38. Model with Rea	optional Factory 3 ar Sway Bar must	7/8" Rear Blocks wil Order Extended Rea	ll have a ar Sway	Higher Rake Angle in Bar End Links. 8.5" Lifts	ts										

-146--147-

-148-

KIT NOTES: G8. Power Steering Models Only. G25. # SBE405 may be Required on Models Equipped with Factory Rear Sway Bar.

FORD														FORD
Quick Kit	КІТ	Component Box Fr	ront Carings	Rear Springs	۸dd ۸	Steering Correction		Steering Stabilizers	; ;	H	YDRO Shocks	NITRO Shocks	BLACK MAX	M95 Shocks Labor
LIFI	NOTES	-			Leafs		White	Black	Silv		White	White	Black	Silver
Reference			ty Part #			(Order 1 Each)	OEM Single Dual	OEM Single Dual	OEM Sing	le Dual F	ront Rear	Front Rear	Front Rear	Front Rear Hours
00-04 F-350 Super Du 4" F9452MKS	G8	Diesel Engine with Replacement F9402MS 2		2 FR94S		FA499	7099 7199 7299	8099 8199 8299	9099 919	9299 H	7041 H7079	N8041 N8079	R8541 R8579	M9541 M9579 8
6" F9652MKS	G8, G25			2 FR96S		FA499		8099 8199 8299						
8" F9852MKS-A	G8			2 FR98S		Included	7099 7199 7299							
KIT NOTES: G8. Power Steer	ring Models Only. G25. # SBE	405 may be Required on Models Equipped	d with Factory R	Rear Sway Bar.										
		AFTER MARCH '99 - WITH SQ	UARE FRO	NT U-BOLT	ΓS)		NOTE: ALL SHOC	KS MUST BE ORD	ERED SEP	ARATELY.				
SOFTRIDE® LIFT SY														
03/99-99 F-350 Super	Duty 4WD Kit	All Engines with Front Add-A-	-Leafs		E0000		7000 7400 7000	0000 0400 0000	0000 040	0 0000 11	7000 117000	NOODA NOODA	DOCOS DOCOS	MO500 MO500 4
2-2.5" F93203K		TB9203			F9320		7099 7199 7299	8099 8199 8299	9099 919	19 9299 H	7023 H7060	N8023 N8060	B8523 B8560	M9523 M9560 4
03/99-99 F-350 Super	Duty 4WD Kit	All Engines with Replacement		ngs			7000 7400 7200	0000 0400 0000	0000 040	0 0000 11	7000 117000	NOODO NOOCO	DOEGO DOEGO	M0500 M0500 4
1.5-2" F9203K			F920S				7099 7199 7299	8099 8199 8299	9099 919	19 9299 H	7023 H7060	N8023 N8060	B8523 B8560	M9523 M9560 4
03/99-99 F-350 Super		Gas V8 or V10 Engine with Blo		olts		EA 400	7000 7400 7200	0000 0400 0000	0000 040	0 0000 11	7044 117070	N0044 N0070	D0544 D0570	MOE 44 MOE 70 0
4" F9403MK 6" F9603MK	G8 G8, G25		F940S F960S			FA499 FA499		8099 8199 8299 8099 8199 8299						
		405 may be Required on Models Equipped		Rear Sway Bar.		1 A+00	1033 1133 1233	0033 0133 0233	3033 313	13 3233 11	7000 117033	110000 110033	D0300 D0399	W3500 W3555 0
03/99-99 F-350 Super	,	Gas V8 or V10 Engine with Re			ıs									
4" F9403MKS	G8			2 FR94S		FA499	7099 7199 7299	8099 8199 8299	9099 919	9 9299 H	7041 H7079	N8041 N8079	B8541 B8579	M9541 M9579 8
6" F9603MKS	G8, G25	F9603MS 2	F960S	2 FR96S		FA499		8099 8199 8299						
8" F9803MKS-A	G8	F9803MS 2	F965S	2 FR98S		Included	7099 7199 7299							
KIT NOTES: G8. Power Steer	ring Models Only. G25. # SBE	405 may be Required on Models Equipped	d with Factory R	Rear Sway Bar.										
03/99-99 F-350 Super		Diesel Engine with Blocks & U												
4" F9453MK	G8		F945S			FA499								M9541 M9579 8
6" F9653MK	G8, G25	F9603M 2 405 may be Required on Models Equipped	F965S	lear Cway Dar		FA499	7099 7199 7299	8099 8199 8299	9099 919	19 9299 H	7060 H7099	N8060 N8099	B8560 B8599	M9560 M9599 8
3/99-99 F-350 Super D		Diesel Engine with Replaceme				EA 400	7000 7400 7000	0000 0400 0000	0000 040	0 0000 11	7044 117070	N0044 N0070	D0544 D0570	NOT44 NOT70 0
4" F9453MKS 6" F9653MKS	G8 G8, G25		2 F945S 2 F965S	2 FR94S		FA499 FA499		8099 8199 8299 8099 8199 8299						M9541 M9579 8
8" F9853MKS-A	G8 G8		2 F985S			Included		8099 8199 8299						
		405 may be Required on Models Equipped					111							
99-2/99 F-350 SUPER	DUTY 4WD (BUILT F	REFORE MARCH (99)					NOTE: ALL SHOC	KS MUST BE ORD	FRED SEP	ARATELY				
99-2/99 F-350 Super D		All Engines with Front Add-A-	-Leafs				NOTELALLONGS	NO MOOT BE OND		AIVAILLII				
2-2.5" F9320K		TB920			F9320		7099 7199 7299	8099 8199 8299	9099 919	9 9299 H	7023 H7060	N8023 N8060	B8523 B8560	M9523 M9560 4
99-2/99 F-350 Super D	Outy 4WD Kit	Gas V8 or V10 Engine with Blo	ocks & U-B	olts										
4" F940MK	G8		F940S			FA400	7099 7199 7299	8099 8199 8299	9099 919	9 9299 H	7041 H7079	N8041 N8079	B8541 B8579	M9541 M9579 8
6" F960MK	G8, G25		F960S			FA400	7099 7199 7299	8099 8199 8299	9099 919	9 9299 H	7060 H7099	N8060 N8099	B8560 B8599	M9560 M9599 8
	,	405 may be Required on Models Equipped												
99-2/99 F-350 Super D		Gas V8 or V10 Engine with Re											I = · · · = ·	
4" F940MKS 6" F960MKS	G8, G10 G8, G25	F940MS 2 F960MS 2	2 F940S	2 FR96S2 FR94S		FA400 FA400		8099 8199 8299 8099 8199 8299						M9541 M9579 8
8" F980MKS-A	G6, G25 G8			2 FR94S 2 FR96S		Included								M9560 M9599 8
		405 may be Required on Models Equipped					1033 1133 1233	0033 0133 0233	3033 313	13 3233 11	7000 117099	110000 110033	D0300 D0399	W19900 W19999 0
99-2/99 F-350 Super D		Diesel Engine with Blocks & L												
4" F945MK	G8		F945S			FA400	7099 7199 7299	8099 8199 8299	9099 919	9 9299 H	7041 H7079	N8041 N8079	B8541 B8579	M9541 M9579 8
6" F965MK	G8, G25		F965S			FA400								M9560 M9599 8
KIT NOTES: G8. Power Steer	ring Models Only. G25. # SBE	405 may be Required on Models Equipped	d with Factory R	Rear Sway Bar.										
99-2/99 F-350 Super D	Outy 4WD System	Diesel Engine with Replaceme												
4" F945MKS	G8, G10			2 FR96S		FA400								M9541 M9579 8
6" F965MKS	G8, G25			2 FR94S		FA400		8099 8199 8299						
8" F985MKS-A	G8	F980MS 2 405 may be Required on Models Equipped		2 FR96S	310 The Fr	Included	7099 7199 7299	8099 8199 8299	9099 919	9299 H	7000 H/099	1118000 118099	B8200 B8599	INIADON INIADAA 8
	<u> </u>		a with Factory N	Car Oway Dar. C	JIO. THE F	Joint B Removed.		VO MUST DE COS		ADATELY				
86-98 F-350 STRAIGH 86-98 F-350 4WD (Moi		AM 4WD All Except Crew Cabs with Fro	ont Add-A	pafe			NOTE: ALL SHOC	KS MUST BE ORD	ERED SEP	ARATELY.				
1.5-2" F35G	no-Deani) Kit	All Except Clew Caps will Fig	on Auu-A-L	-5013	F35G		7110 7240	8110 8240	911	0 9240 H	7023 H7060	N8023 N8060	B8523 B8560	M9523 M9560 4
86-98 F-350 4WD (Moi	no Boam) Kit	Crew Cabs with Front Add-A-I	Loafe		,		7110 1210	00 0210	J 11	0 11		,	, 11110 20000	,
	10-Deam) Kit		Leais		F35G									
2-2.5" F3546K		UFF			+F46D		7110 7240	8110 8240	911	0 9240 H	7023 H7060	N8023 N8060	B8523 B8560	M9523 M9560 4
	-												*	

-150-

FORD												FORD
Quick Kit	KIT	Component Box	Front Springs	Rear Springs Ad	d-A- Steering Correction	No. 1	Steering Stabilizers	2"		+	s BLACK MAX	l ahor
Reference	NOTES	-			eafs (Order 1 Each)	White	Black OEM Single Dual	Silver OEM Single	White Dual Front Rear	White Front Rear	Black Front Rear	Silver Front Rear Hours
86-98 F-350 4WD (Mo		With Blocks & U-Bolts			•							
3-4" F840MK 5-6" F860MK	G8, G18, G22, G23 G8, G18, G22, G23	F840M F860M	2 F840S 2 F860S		FA400 FA400	7110 7240 7110 7240			9240 H7041 H7060 9240 H7060 H7060			
KIT NOTES: G8. Power Steel	ring Models Only. G18. See P	age 219-220 for Brake Lines. G22. May	Require End Li	nks on Models Equippe	d with Factory Sway Bars.	7110 7240	0110 0240	9110	9240 117000 117000	7 110000 110000	0 00000 00000	WI9300 WI9300 6
See Ford Accessories. G23.	Vehicles with Diesel Engine w	III Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
86-98 F-350 4WD (Mo		For Rear Towing Package v			FA 100	7440 7040	0440 0040	0440	0040 117044 117000	NOO44 NOO9	D0544 D0500	M0544 M0500
	G8, G18, G22, G23 G8, G18, G22, G23	F840MH F860MH	2 F840S 2 F860S		FA400 FA400	7110 7240 7110 7240			9240 H7041 H7060 9240 H7060 H7060			
KIT NOTES: G8. Power Stee	ring Models Only. G18. See P	age 219-220 for Brake Lines. G22. May	Require End Li	nks on Models Equippe	d with Factory Sway Bars.	7710 1210	0110 0210	0110	0210 111 000 111 000	7110000 11000	0 20000 20000	inicoco inicoco o
See Ford Accessories. G23.	Vehicles with Diesel Engine w	ill Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
86-98 F-350 4WD (Moi 3-4" F840MKS	no-Beam) System G8, G18, G22, G23	With Replacement Rear Spi F840MS		2 FR54S	FA400	7110 7240	8110 8240	0110	9240 H7041 H7060	NIONAL NIONE	D0541 D0560	M9541 M9560 6
5-6" F860MKS	G8, G18, G22, G23	F860MS		2 FR56S	FA400 FA400	7110 7240			9240 H7041 H7060 9240 H7060 H7060			
KIT NOTES: G8. Power Steel	ring Models Only. G18. See P	age 219-220 for Brake Lines. G22. May	Require End Li	nks on Models Equippe	d with Factory Sway Bars.							
		II Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
80-85 F-350 INDEPEN 80-85 F-350 (IFS) 4WI		ENSION 4WD (IFS) 302 or 351 Engine with Froi	nt Add-A-l e	afs		NOTE: ALL SHOC	KS MUST BE ORDE	RED SEPA	RATELY.			
1.5-2" F35G	G1				35G	7140 7240	8110 8240	9110	9240 H7054 H7058	N8054 N8058	8 B8554 B8558	M9554 M9558 4
		quired (See Ford Accessories Section).										
80-85 F-350 (IFS) 4WI 1.5-2" F46D	O Kit G1	460 or Diesel Engine with F	ront Add-A-		16D	7140 7240	8140 8240	0140	9240 H7054 H7058	NIOCE 4 NIOCE	DOEEA DOEEO	MOFFA MOFFO
		quired (See Ford Accessories Section).			100	7140 7240	8140 8240	9140	9240 11/054 11/058	S INSUSA INSUS	8 58334 58338	NI9554 NI9558
80-85 F-350 (IFS) 4WI	O Kit	Standard Brackets with Blo	cks & U-Bo	lts								
4" F840TK	G8, G18, G22, G23	F840T	2 F840S		FA400	7140 7240			9240 H7055 H7060			
6" F860TK	G8, G18, G22, G23	F860T age 219-220 for Brake Lines. G22. May	2 F860S		FA400	7140 7240	8140 8240	9140	9240 H7056 H7060	N8056 N8060	0 B8556 B8560	M9556 M9560 8
See Ford Accessories. G23.	Vehicles with Diesel Engine w	ill Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
80-85 F-350 (IFS) 4WI		For Rear Towing Package v										
4" F840TK3	G8, G18, G22, G23	F840TH	2 F840S		FA400 FA400	7140 7240			9240 H7055 H7060			
	G8, G18, G22, G23	F860TH age 219-220 for Brake Lines. G22. May	2 F860S			7140 7240	8140 8240	9140	9240 H7056 H7060) N8U56 N8U60	J B8550 B8560	M9556 M9560 8
See Ford Accessories. G23.	Vehicles with Diesel Engine w	Ill Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
80-85 F-350 (IFS) 4WI		Standard Brackets with Rep								I		
4" F840TKS 6" F860TKS	G8, G18, G22, G23 G8, G18, G22, G23	F840TS F860TS		2 FR54S 2 FR56S	FA400 FA400	7140 7240 7140 7240			9240 H7055 H7060 9240 H7056 H7060			
KIT NOTES: G8. Power Steel	ring Models Only. G18. See P	age 219-220 for Brake Lines. G22. May	Require End Li	nks on Models Equippe	d with Factory Sway Bars.	7140 7240	0140 0240	3140	3240 117000 117000	7 140000 140000	0 100000 100000	INIOOOO INIOOOO O
See Ford Accessories. G23.	Vehicles with Diesel Engine w	II Require Front Fitted Leafs. Vehicles v	with Extra Weigh	t may Require Fitted Le	eafs. See Page 222.							
80-96 F-350 2WD 80-96 F-350 2WD Kit		With Placks 9 H Polts 9/or	Add A Loof			NOTE: ALL SHOC	KS MUST BE ORDE	RED SEPA	RATELY.			
3" 184F2K	G1, G8	With Blocks & U-Bolts &/or 184F2	1 184	<u>s</u>	FA400				H7054 H7058	N8054 N8058	8 B8554 B8558	M9554 M9558 6
5" 186F2K	G1, G8	186F2	1 186		FA400							M9555 M9541 6
		quired (See Ford Accessories Section).	. G8. Power Stee	ering Models Only.								
79 F-350 LOW BOY 4 79 F-350 Low Boy 4W		With Front Add-A-Leafs				NOTE: ALL SHOC	KS MUST BE ORDE	RED SEPA	RATELY.			
1.5-2" F46D	DKIL	With Front Add-A-Leais		F4	46D	7110 7220	8110 8220	9110	9220			4
83-97 RANGER 4WD						NOTE: ALL SHOC	KS MUST BE ORDE	RED SEPA	RATELY.			
90-97 Ranger XLT 4W		6-Cylinder Engine with Add			405	7.50	0450 0050	0.150	0050 117050 117050	NOOSO MOOS	DOCES BOSES	MOSEO MOSEO
1.5-2" 132XK KIT NOTES: G1. Oversized C	G1 Camber / Caster Shims are Re	quired (See Ford Accessories Section).	1 132X		135	7150 7250	8150 8250	9150	9250 H7052 H7060	I N8052 N8060	J B8552 B8560	IVI9552 IVI9560 4
90-97 Ranger XLT 4W		6-Cylinder Engine with Rep		ear Springs								
1.5-2" 132XKS	G1, G10, G27	132XRS	1 132X	2 FR34S		7150 7250	8150 8250	9150	9250 H7052 H7060	N8052 N8060	B8552 B8560	M9552 M9560 4
KIT NOTES: G1. Oversized C	Camber / Caster Shims are Re	quired (See Ford Accessories Section). with 4.0 Liter Engine. May Require End	. G10. The Facto	ry Block is Removed.								
90-97 Ranger 4WD Ki 1.5-2" 132K	G1	4-Cylinder Engine with Add	1-A-Lears 1 132	I R3	135	7150 7250	8150 8250	9150	9250 H7052 H7060	N8052 N8060	0 B8552 B8560	M9552 M9560 4
	Camber / Caster Shims are Re	quired (See Ford Accessories Section).										

-152- -153-

Column C	F	OR	D																FOF	RD
Columb C												Steering Stabilizers				HYDRO Shocks	NITRO Shock	RI ACK MAY	M95 Shocks	
Part	LIF	т	Quick Kit		-				•		White	Black				White	White	Black	Silver	
1925 1926	07				/	Qty Part # Qty	Part #	ais	(Order 1 Each)		OEM Single Dual	OEM Single Dual	OEM	Single	Dual	Front Rear	Front Rear	Front Rear	Front Rear	Hours
The Comment instruct instructs the threat whereas the threat segment on the comment of the com		_			With Add-A-Leats	1 132X	R3	135			7150 7250	8150 8250) [9150	9250	H7052 H7060	N8052 N806	B8552 B8560	M9552 M9560	4
1.000					equired (See Ford Accessories Section)										-					
																	T			
Section Company Comp											7150 7250	8150 8250		9150	9250	H7052 H7060	N8052 N806) B8552 B8560	M9552 M9560	4
1.52 138K CT 1.10 1.				iber / Gaster Griffins are Ne																
A compare A co				G1	All (Except Supercas with			135			7150 7250	8150 8250)	9150	9250	H7052 H7060	N8052 N806	B8552 B8560	M9552 M9560	4
1-92 \$2825	KITI	NOTES:	: G1. Oversized Car	nber / Caster Shims are Re	equired (See Ford Accessories Section)).														
2-9 19 19 19 19 19 19 19								pring	S		7450 7050	0450 0050	. 1	0450	0050	117050 117000	NICOTO NICOO	DOEED BOEO	M0550 M0500	4
1.52 1.52											7150 7250	8150 8250		9150	9250	H7052 H7060	N8052 N806) B8552 B8560	M9552 M9560	4
1-2						,														=
32-88 Empty Support May System 29 - User with Replacement Reer's Springs 1-2/2 123/28 1 123	1.5-	-2"	132XK	G1			R3	135			7150 7250	8150 8250)	9150	9250	H7052 H7060	N8052 N806	B8552 B8560	M9552 M9560	4
1.5-2 SEXING G1 G10 SEXING 1 SEXING 1 SEXING 1 SEXING 1 SEXING 2 FRAIS 2 FRAIS 1 SEXING 2 FRAIS 2					<u>-</u>															
STRONGE G: Control Claims Control Claims an Broad (See Fig. Ref. Action (See Fig. 1) Fig. Control Claims (See Fig. 1) Fig. F							ED240	_			7450 7050	0450 0050	. 1	0450	0050	117050 117000	NIOOEO NIOOC	DOLES BOLS	MOFFO MOFCO	4
Sample Will Kit Havy-Drug Practets with Blocks & Libolius Sor Add-A-Leafs FA400 7150 7250 8150 8250 9150 9250 H7054 H7060 N8056 N8060 88554 B8560 M8655 M8560 6 or 1388 FR 1					L			_			7150 7250	8150 8250		9150	9250	H7052 H7060	N8U5Z N8U6	J B8552 B8560	NI9552 NI9560	4
1 13 13 13 13 13 13 13						-		Leaf	<u> </u>											
No.	4'	"	134RHK		134RH	1 134			FA400											6
Act May Recover Cert Links Say 1	4	_		<u> </u>					FA400		7150 7250	8150 8250)	9150	9250	H7055 H7060	N8055 N806	B8555 B8560	M9555 M9560	6
4* 134RHKS GB, C10, C18, C27 139RHS 1 134 2 FR34S FA400 7150 7250 8150 8250 9150 9250 H7054 H7060 N8055 N8060 B8555 88560 M8555 M9560 6 NT NOTES CR Power Stearty MANISHORY, C10. The Fedory Stock is Removed Citi. See Page 21-5220 for Bake-Lines, C27, May Require (2): PH325 for Adjurnment & Levering, Fake and Juliar Engines With Add-AL-Leafs 1.124 NR Page 240 From Stearty MANISHORY, C10. The Fedory Stock is Removed Citi. See Page 21-5220 for Bake-Lines, C27, May Require (2): PH325 for Adjurnment & Levering, Fake and Juliar Engines With Add-AL-Leafs 1.124 Included 1.7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 88560 M8555 M9560 7 6° 296RHK-A. GB, C18, C27 2 366RHFRA135 1 134 Included 1.7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 88560 M8555 M9560 7 6° 296RHK-A. GB, C18, C27 2 366RHFRA135 1 136 Included 1.7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 88560 M8555 M9560 7 7 6° 296RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 Included 1.7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 88560 M8555 M9560 7 7 6° 286RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 2 FR34S Included 1.7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 88560 M8555 M9560 7 6° 286RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 2 FR34S Included 1.7150 7250 8150 8250 9150 9250 H7055 H7050 N8055 N8060 B8555 88560 M8555 M9560 7 6° 286RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 2 FR34S Included 1.7150 7250 8150 8250 9150 9250 H7055 H7050 N8055 N8060 B8555 88560 M8555 M9560 7 6° 286RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 2 FR34S Included 1.7150 7250 8150 8250 9150 9250 H7055 H7050 N8055 N8060 B8555 88560 M8555 M9560 7 6° 286RHK-S. A. GB, C18, C27 2 236RHFRA135 1 136 2 FR34S Included 1.152 R335 1	Aid.	NOTES: May Red	: G8. Power Steerin quire End Links.	g Models Only. G18. See P	age 219-220 for Brake Lines. G27. Ma	y Require (2) # HS25 fo	or Alignment & Le	veling												
4* 134RHKS GB, C10, C18, C27 139RHS 1 134 2 FR34S FA400 7150 7250 8150 8250 9150 9250 H7056 H7060 N9055 N8060 I89555 88560 IM9555 M9560 6 NT NOTES CR Power Startery MANISHORY, C16. The Fictory Stock is Removed C16. See Page 211-220 for State Lines. C27. May Require (2) # H325 N Adjornment & Levering And with a Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And with A Diale Engines With Add-AL Leafs 1.0 Leaf Startery And Leaf Startery And Starte	83-9	97 Rar	nger 4WD Svs	tem	Heavy-Duty Brackets with	Replacement Rea	r Springs													
STATE Case Brackets & Radius Arms with Blocks & U-Bolts 1.54 Included 7.150 7250 8.150 8250 9.150 8250 17.054 17.050 18.055 1.05	4'	" 1	134RHKS	G8, G10, G18, G27	134RHS	1 134 2	FR34S													6
8.3-97 Ranger 4/W Kt	_			<u> </u>				. (0)			7150 7250	8150 8250)	9150	9250	H7055 H7060	N8055 N806) B8555 B8560	M9555 M9560	6
4* 234RHK-A GS, G18, G27 230RH-RA135 1 134 Included 77150 7250 8150 8250 9150 9250 H7054 H7050 N8050 88556 88560 M9555 M9560 7 NRTNOTES. GB. Power Steering Models Chily, G15. See Page 219-220 for Brake Lines. C27. May Require Q18 H255 for Algoriment & Leveling And with 40 Liter Engine. 4* 234RHK-SA GS, G10, G18, G27 234RHS-RA135 1 134 2 FR34S Included 77150 7250 8150 8250 9150 9250 H7054 H7050 N8054 N8060 88554 88560 M9555 M9560 7 NRTNOTES. GB. Power Steering Models Chily, G15. See Page 219-220 for Brake Lines. C27. May Require Q18 H255 for Algoriment & Leveling And with 40 Liter Engine. 4* 234RHK-SA GS, G10, G18, G27 2 34RHS-RA135 1 134 2 FR34S Included 77150 7250 8150 8250 9150 9250 H7054 H7060 N8054 N8060 88554 88560 M9555 M9560 7 NRTNOTES. GB. Power Steering Models Child, G10. The Factory Blook Removed G18. See Page 219-220 for Brake Lines. C27. May Require C19 H505 for Algorithm 40 Leveling And with 40 Liter Engines with Add-A-Leafs 1-5-2* 132K G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88558 M9552 M9558 4 NRTNOTES. G1 November Camber of Camber All Ca	& Le	veling Ai	id with 4.0 Liter Eng	ine. May Require End Link	ory Block is Removed. G18. See Page : s.	219-220 for Brake Lines	s. G27. May Requ	lire (2)	# HS25 for Alignment											
4* 234RHK-A G8, G18, G27 236RH-RA135 1 134 Included 77150 7250 8150 8250 9150 9250 H7054 H7060 N8005 N8000 B8555 B8560 M99554 M9560 7 RINDIES G8, G18, G27 236RH-RA135 1 136 Included 77150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8000 B8555 B8560 M9955 M9560 7 RINDIES G8, Deare Steering Models City, G18, G27 234RH-SA135 1 134 2 FR345 Included 77150 7250 8150 8250 9150 9250 H7054 H7060 N8055 N8000 B8555 B8560 M9555 M9560 7 RINDIES G8, G19, G18, G27 234RH-SRA135 1 134 2 FR345 Included 77150 7250 8150 8250 9150 9250 H7054 H7060 N8055 N8000 B8555 B8560 M9555 M9560 7 RINDIES G8, G19, G18, G27 234RH-SRA135 1 134 2 FR345 Included 77150 7250 8150 8250 9150 9250 H7056 H7060 N8055 N8000 B8555 B8560 M9555 M9560 7 RINDIES G8, Fourth G8, G18, G27 234RH-SRA135 1 134 2 FR345 Included 77150 7250 8150 8250 9150 9250 H7056 H7060 N8055 N8060 B8555 B8560 M9555 M9560 7 RINDIES G8, Fourth G8, G18, G27 234RH-SRA135 1 134 2 FR345 Included 77150 7250 8150 8250 9150 9250 H7056 H7060 N8055 N8060 B8555 B8560 M9555 M9560 7 RINDIES G8, Fourth G8, G18, G27 RINDIES G8, G18, G27 2 S6, G18, G18, G27 2 S6, G18, G18, G27 2 S6, G18, G18, G18, G18, G18, G18, G18, G18	83-9	97 Rar	nger 4WD Kit		Class II Brackets & Radius	Arms with Block	s & U-Bolts													=
S3-97 Ranger 2VID Kit S1-52 S1-5	4'	" 2	234RHK-A																	7
Class II Brackets & Radius Arms with Replacement Rear Springs	6'			<u> </u>			lignment & Level	ing Aid			7150 7250	8150 8250)	9150	9250	H7055 H7060	N8055 N806) B8555 B8560	M9555 M9560	7
4* 234RHS-A G8, G10, G27 234RHS-RA135 1 134 2 FR34S included 7150 7250 8150 8250 9150 9250 H7054 H7060 N8060 88564 88560 M9564 M9560 7 KIT NOTES: G8, Power Stearing Mediate Only, G10. The Factory Block is Removed. G18. See Page 219-220 for Brake Lines. G27. May Require (2) # 1935 for Alignment & Leveling, Ad with 40 Line Engine. NOTE: ALL SHOCKS MUST BE ORDERED SEPARATELY. 90-97 Ranger 2WD Kit 2.3, 2.9 & 3.0 Liter Engines with Add-A-Leafs 1.5-2* 132KK G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 88558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-93 Ranger 2WD Kit 4.0 Liter Engines with Add-A-Leafs 1.5-2* 132KK G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 88558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-93 Ranger 2WD Kit 4.0 Liter Engines with Add-A-Leafs 1.5-2* 132KK G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 88558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-93 Ranger 2WD Kit 4.0 Liter Engines with Add-A-Leafs 1.5-2* 132KK G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 88558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-93 Ranger 2WD Kit 2.9 Liter with Add-A-Leafs 1.5-2* 132KK G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 88558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-93 Ranger Supercada Camber / Caster Shims are Required (See Ford Accessories Section). 84-93 Ranger Supercada Camber / Caster Shims are Required (See Ford Accessories Section). 85-93 Ranger Supercada Camber / Caster Shims are Required (See Ford Accessories Section). 85-93 Ranger Supercada Camber / Caster Shims are Required (See Ford Accessories Section). 85-9																				
KIT NOTES. G8. Power Steering Models Ontly. G10. The Factory Block is Removed. G18. See Page 219-220 for Brake Lines. G27. May Require (2) # 14525 for Alignment & Leveling Add with 4.0 Liter Engine.	4							Imiga			7150 7250	8150 8250)	9150	9250	H7054 H7060	N8054 N806	B8554 B8560	M9554 M9560	7
S3-97 RANGER 2WD S12-92 S3-06 Liter Engines with Add-A-Leafs 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 88552 B8558 M9552 M9558 4 NTOTES: G1 Oversized Camber / Caster Shims are Required (See Ford Accessories Section.) S3-397 Ranger 2WD Kit	6'	" 23	36RHKS-A	G8, G18, G27	236RHS+RA135	1 136 2	FR34S	\Box	Included		7150 7250	8150 8250		9150	9250	H7055 H7060	N8055 N806	B8555 B8560	M9555 M9560	7
83-97 RANGER 2WD 90-97 Rangor 2WD Kit 1.5-2" 132 K G1	KIT I	NOTES:	: G8. Power Steerin	g Models Only. G10. The Far Alignment & Leveling Aid	actory Block is Removed. G18. See Pa	age 219-220 for Brake L	ines.													
90-97 Ranger 2WD Kit 1.5-2" 1321K G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 90-97 Ranger 2WD Kit 4.0 Liter Engines with Add-A-Leafs 1.5-2" 1322K G1 1 132X R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-89 Ranger 2WD Kit All (Except Supercab with 2.9 Liter) with Add-A-Leafs 1.5-2" 132K G1 1 132 R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-89 Ranger 2WD Kit 2.9 Liter with Add-A-Leafs 1.5-2" 132K G1 1 132X R3135 7150 7250 8150 8250 9150 9250 H7052 H7058 N8052 N8058 B8552 B8558 M9552 M9558 4 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-97 Ranger 2WD Kit With Blocks & U-Bolts 6" 136R2K G3, G18, G27 1 136R2 1 136 FA400 7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 6 KIT NOTES: G8. Power Steering Models Only, G18. See Page 219-220 for Brake Lines. G27. May Require (2) #1825 for Alignment & Leveling Add with 4.0 Liter Engine.			,	, , ang a mont a Lovoling , and	With 1.5 Ellor Eligino.							//		0=04=		,				
1.5-2" 132K G1					2.3. 2.9 & 3.0 Liter Engines	with Add-A-Leaf	<u> </u>			N	IOTE: ALL SHOCK	KS MUST BE ORD	ERED	SEPAR	AIEL	Υ.				
90-97 Ranger 2WD Kit 4.0 Liter Engines with Add-A-Leafs 1.5-2" 132XK G1				G1	n in the second			135			7150 7250	8150 8250		9150	9250	H7052 H7058	N8052 N805	B8552 B8558	M9552 M9558	4
1.5-2" 132XK G1	KITI	NOTES:	G1. Oversized Car	nber / Caster Shims are Re	equired (See Ford Accessories Section)).														
Sa-89 Ranger 2WD Kit All (Except Supercab with 2.9 Liter) with Add-A-Leafs				04	4.0 Liter Engines with Add			405			7450 7050	0450 0050	. 1	0450	0050	117050 117050	NIOOEO NIOOE	DOLLO BOLLO	MOSSO MOSSO	4
83-89 Ranger 2WD Kit All (Except Supercab with 2.9 Liter) with Add-A-Leafs 1.5-2" 132K G1					equired (See Ford Accessories Section)		I R3	135			7150 7250	8150 8250	<u> </u>	9150	9250	H7U52 H7U58	INOUSZ INOUS	5 B8552 B8558	NI9552 NI9558	4
1.5-2" 132K G1							d-A-Leafs													
83-89 Ranger Supercab 2WD Kit 1.5-2" 132XK G1 KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section). 83-97 Ranger 2WD Kit With Blocks & U-Bolts 6" 136R2K G8, G18, G27 136R2 1 136 FA400 7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 6 KIT NOTES: G8. Power Steering Models Only, G18. See Page 219-220 for Brake Lines. G27. May Require (2) # HS25 for Alignment & Leveling Aid with 4.0 Liter Engine.	1.5-	-2"	132K			1 132		135			7150 7250	8150 8250		9150	9250	H7052 H7058	N8052 N805	B8552 B8558	M9552 M9558	4
1.5-2" 132XK G1).														
S3-97 Ranger 2WD Kit With Blocks & U-Bolts					2.9 Liter with Add-A-Leafs	1 122	Do	125			7150 7250	9150 9250	1	0150	0250	H7052 H7050	NISUES NIOUE	BOSES DOEES	M0552 M0559	1
83-97 Ranger 2WD Kit With Blocks & U-Bolts 6" 136R2K G8, G18, G27 136R2 1 136 FA400 7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 6 KIT NOTES: G8. Power Steering Models Only, G18. See Page 219-220 for Brake Lines. G27. May Require (2) # HS25 for Alignment & Leveling Aid with 4.0 Liter Engine.					equired (See Ford Accessories Section)		I R3	135			1100 1250	0130 0230		9100	9200	111/032 11/038	INOUSZ INOUS) D0002 D0000	INIADOS INIADOS	4
6" 136R2K G8, G18, G27 136R2 1 136 FA400 7150 7250 8150 8250 9150 9250 H7055 H7060 N8055 N8060 B8555 B8560 M9555 M9560 6 KIT NOTES: G8. Power Steering Models Only. G18. See Page 219-220 for Brake Lines. G27. May Require (2) # HS25 for Alignment & Leveling Aid with 4.0 Liter Engine.																				
KIT NOTES: G8. Power Steering Models Only. G18. See Page 219-220 for Brake Lines. G27. May Require (2) # HS25 for Alignment & Leveling Aid with 4.0 Liter Engine. May Require End Links.	6'	"	136R2K		136R2						7150 7250	8150 8250		9150	9250	H7055 H7060	N8055 N806	B8555 B8560	M9555 M9560	6
	KIT N May	NOTES: Require	G8. Power Steering End Links.	Models Only. G18. See Pa	ge 219-220 for Brake Lines. G27. May I	Require (2) # HS25 for A	lignment & Level	ing Aid	with 4.0 Liter Engine.											

-154--155-

	\frown	_

FUKD																		FURL
			T					Steering Stabilizers				HYDRO Shocks NITRO		O Shocks BLACK MAX		M95 Shocks		
LIFT Quick Kit KIT	Component Box	Front Springs	Rear Springs	Add-A-			White		Black	Silve	r	White	White	Black	Silve	r Lai		
Reference	(Requires 1 Of Each)	Qty Part #	Qty Part #	Leafs	(Order 1 Each)	OE	M Single Dua	OEM	Single Dual	OEM Singl	e Dual	Front Rear	Front Rear	Front Rea	r Front	Rear Hou		
3-97 Range			Class II Brackets & Radius		locks & U-Bo	lts												
		, G18, G27	236R2+RA235	1 136			Included		7150 7250)	8150 8250	9150	9250 H	17055 H7060	N8055 N8060	B8555 B856	60 M9555 M	19560 7
		s Only. G18. See Pag	ge 219-220 for Brake Lines. G27. May															
	er 2WD System		Class II Brackets & Radius			Rear Sp										,		
6" 236F		, G18, G27	236R2S+RA235		2 FR34S		Included		7150 7250)	8150 8250	9150	9250	17055 H7060	N8055 N8060	B8555 B856	80 M9555 M	19560
IT NOTES: G8.	Power Steering Model	s Only. G18. See Pag	ge 219-220 for Brake Lines. G27. May	Require (2) # HS2	5 for Alignment & L	eveling Ai	d with 4.0 Liter Engine.											
84-90 BRON	ICO II 4WD							NOT	E: ALL SHO	CKS ML	JST BE ORDE	ERED SEPA	RATELY					
33-90 Bronc	o II 4WD Kit		Heavy-Duty Brackets Bloc															
		G1, G2		1 132		R3135			7150 7250		8150 8250				N8052 N8058			
		98, G18, G27	134BH	1 134			FA400		7150 7250		8150 8250				N8054 N8058			
6" 13	6BHK G2, 0	98, G18, G27	136BH	1 136			FA400		7150 7250)	8150 8250	9150	9250 H	17055 H7060	N8055 N8060	B8555 B856	60 M9555 M	19560 (
# HS25 for Align 84-90 Bronc	ment & Leveling Aid wi	th 4.0 Liter Engine. I	lore. G8. Power Steering Models Onl May Require End Links. Heavy-Duty Brackets with	Replacement	Rear Springs	S			7450 705		0.450, 0.050	0.15	0050	17055 11700	NAMES NOOS	Inores pos	20 140555 14	10500
	BHKS G2, C	<u> </u>	136BHS		2 FR36S		FA400		7150 7250)	8150 8250	9150	9250 1	17055 H7060	N8055 N8060	B8555 B856	60 M9555 M	19560 6
Models Only. G9			ip-Type' Rear Drive Shaft, the Drive S e Page 219-220 for Brake Lines. G27															
	o II 4WD Kit		Class II Brackets & Radius		locks & U-Bo	lts												
	BHK-A G2, C	<u> </u>	236BH+RA135	1 136			Included		7150 7250)	8150 8250	9150	9250 H	17055 H7060	N8055 N8060	B8555 B856	60 M9555 M	19560 7
KIT NOTES: G2. G8. Power Steer Liter Engine.	On 85-90 Bronco II's ing Models Only. G18.	Equipped with a 'Tul See Page 219-220 t	ip-Type' Rear Drive Shaft, the Drive S for Brake Lines. G27. May Require (2	haft must be Chan) # HS25 for Alignr	ged when Lifted 2" nent & Leveling Aid	or More. d with 4.0												
84-90 Br <u>onc</u>	o II 4WD System	<u></u>	Class II Brackets & Radius	s Arms with R	eplacement R	Rear Sp	rings											
		98, G18, G27	234BHS+RA135	1 134	2 FR34S		Included		7150 7250		8150 8250	9150	9250 H	17054 H7058	N8054 N8058	B8554 B855	8 M9554 M	19558 7
6" 236E	BHKS-A G2, C	98, G18, G27	236BHS+RA135	1 136	2 FR36S		Included		7150 7250)	8150 8250	9150	9250 H	17055 H7060	N8055 N8060	B8555 B856	60 M9555 M	19560
			Type' Rear Drive Shaft, the Drive Shaft r Brake Lines. G27. May Require (2) #				Engine.											
90-94 EXPL	ORER 4WD (2 D	OOR & 4 DOO	R)					_NO1	E: ALL SHO	CKS ML	JST BE ORDE	ERED SEPA	RATELY					
			With Add-A-Leafs															

 90-94 Explorer 4WD (2 Door & 4 Door) Kit
 With Add-A-Leafs

 1.5-2"
 132EXK
 G1
 R225 7150 7250 8150 8250 9150 9250 H7052 H7034 N8052 N8034 B8552 B8534 M9552 M9534 4 1 132X

KIT NOTES: G1. Oversized Camber / Caster Shims are Required (See Ford Accessories Section).

-156--157-